

SHEDS
KENNELS
STORAGE
GARAGES
PLAYHOUSES
SUMMER HOUSES



EARNSHAW'S

GOOD WITH WOOD, GREAT IN YOUR GARDEN!



GARDEN BUILDINGS
RANGE

jobearnshaw.co.uk



introduction

At TGB Sheds we manufacture a comprehensive range of quality garden buildings. We take great care and pride in our attention to detail and feel confident you will find a product suitable for your needs. Many options are available for all our buildings, these include; 22mm floorboards, 22mm premier cladding, 19mm log effect cladding, security products, 38mm x 50mm framing as standard, 50mm x 50mm and 50mm x 75mm framing, pressure treated tanalised timber, additional doors and windows, and increased eaves heights. If you cannot find a building to suit your needs please enquire about a custom built model as we cater for our customer needs.

We are a progressive forward thinking company and in-line with our policy of continual development and improvement reserve the right to change specifications, designs and prices without notice.

All buildings are pre-treated with quality water based wood preservative prior to delivery.* To ensure longevity we recommend a top coat upon installation, and annually thereafter. Timber is a natural product, subject to changes caused by environmental conditions, to minimise contraction and expansion it is essential to maintain your building.


All timber sizes are nominal, before machining unless stated.

All building dimensions shown are approximate, based on external wall sizes, allowances should be made for roof overhangs when locating your building in a confined space.

All glass used is 3mm horticultural unless otherwise stated.



Specifications of timber used. All sizes are nominal (before machining) unless otherwise stated.



The finished sizes of our product are accurate to +/- 1mm.

PLEASE NOTE:

Buildings are available in all timber specifications and can be manufactured to your individual requirements. All measurements in the brochure are internal eaves and ridge height and for planning application purposes, the external measurements including roof and floor joists will be required.

We now offer pressure treated timber as an upgrade - Tanalised E - on all our products


Main Features

- All pressure treated buildings are manufactured using 15mm finished cladding with an extended 10mm tongue.
- Protected by a unique, highly developed preservative formulation, TANALISED E pressure treated timber gives a reliable and consistent protection against fungal decay and insect attack.
- Appealing natural pale green colour with excellent weathering properties.
- Usually specified for indoor and outdoor applications where there is a medium to high risk of fungal decay and insect attack, e.g. general construction, landscaping and leisure timbers, fencing and other outdoor timber projects.
- TANALISED E is tested in accordance with the requirements of BS EN599 and new European standards.
- TANALISED E is acknowledged globally on performance for long term protection against decay and insect attack

Guarantee

- Minimum 15 year guarantee against general timber rot and decay - the guarantee does not cover against splits or movement which may occur naturally over time.
- All buildings must be installed correctly using manufacturers instructions and treated annually using correct water repellent preservative and all windows to be made water tight using silicone or sealant to maintain validity of the guarantee.

Specifications of pressure treated timber used. All sizes are nominal (before machining) unless otherwise stated.




The finished sizes of our product are accurate to +/- 1mm.



contents



contents



5 Superior Apex
 5 Standard Apex
 6 Superior Pent
 6 Standard Pent
 7 Hipex
 8 Cabin
 9 Bentley Supreme Apex
 9 Bentley Supreme Pent
 10 Potting Shed
 11 Combi-Potting Shed
 12 Sunflower
 13 Security Apex
 13 Security Pent
 14 Heavy Duty Apex
 14 Heavy Duty Pent
 15 Garage Apex and Pent
 16 Rhino Apex


16 Rhino Pent
 17 Groundsman
 18 Corner Cabin
 19 Garden Store
 19 Garden Tidy
 20 Garden Chest
 20 Wheelie Bin Store
 21 Dog Kennel
 21 Animal Arc
 21 Deluxe Apex Kennel and Run
 22 Pent Kennel and Run
 22 Hen House
 23 Traditional Dutch Barn
 24 Summer Cabin
 25 Althorpe
 26 Ascot
 27 Balmoral

28 Chatsworth
 29 Buckingham
 30 Windsor
 31 Kensington
 32 Wentworth
 33 The Elton Home Office
 34 Corner Summer House Georgian
 35 Corner Summer House Leaded
 36 Hipped Roof Corner Summerhouse
 37 Blenheim Corner Summerhouse
 38 Pavilion
 39 Pent Summer House
 40 Dual Pent Summerhouse
 41 Pent Summerhouse with Folding Doors
 42 Sunningdale

43 The Sunroom
 44 Octagonal Arbour
 45 Octagen 8 + 10
 46 Stretched Octagonal 8
 47 Sandringham
 48 Toddlers Retreat
 49 My Little Den
 50 Ladybird Cottage
 51 Snowdrop Cottage
 52 Mini Barn
 53 Escape
 54 Wilton Lodge
 55 Candy Cabin
 56 The Hideaway
 57 Charleys Castle
 58 Kids Club House

PLEASE NOTE: All our playhouses conform to trading standards BS5665 and are fitted with the CE mark


Safety features include: acrylic safety glass with planed and rounded corners on all the framing, staircases with horizontal tread, and hand rails. Doors are fitted with anti trap plastic strip to prevent finger injury.




A



B



C



D



E



SUPERIOR APEX STANDARD FEATURES

Fully tongue and grooved construction
Door can be positioned on any side or end wall
Ledged and braced door
Lock and key
Interchangeable panels

SPECIFICATION

Sizes from:
1.22m x 1.22m (4' x 4') up to
3.66m x 2.44m (12' x 8')
Eaves Height 1864mm
Ridge Height
4' Front - 86" / 2190mm
5' - 89" / 2260mm
6' - 92" / 2336mm
8' - 97" / 2475mm
Door 1880mm x 762mm
Windows 610mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm Heavy duty floor
50mm x 50mm framing
Security options
Opening window
Felt options
Tanalised Timber

Superior & Standard Apex

Superior Apex



Standard Apex



If Standard Apex door option B,C or D are chosen then the height of the door is reduced by 190mm to 1575mm x 762mm.

STANDARD APEX STANDARD FEATURES

Fully tongue and grooved construction
Ledged and braced door
Lock and key
Interchangeable panels


SPECIFICATION

Sizes from:
1.22m x 1.22m (4' x 4') up to
3.66m x 2.44m (12' x 8')
Eaves height 1680mm
Ridge height
4' Front - 78" / 1985mm
5' - 81" / 2050mm
6' - 85" / 2160mm


8' - 90" / 2280mm
Door 1765mm x 762mm
Windows 610mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE


22mm premier cladding
19mm Log Lap cladding
22mm Heavy duty floor
50mm x 50mm framing
security options
opening window
Stable Door
Felt options
Tanalised Timber




A




B




C



D



E



V




W



X



Y



Z



SUPERIOR PENT STANDARD FEATURES

3" x 2" Framed roof

Fully tongue and grooved construction

Door can be positioned on any side or end wall

Lock and key

SPECIFICATION

Sizes from:

1.22m x 1.22m (4' x 4') to

3.66m x 2.44m (12' x 8')

Eaves height 1937mm

Ridge height 2153mm

Door 1880mm x 762mm

Windows 610mm x 457mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm Heavy duty floor

50mm x 50mm framing

Security options

Felt options

Tanalised Timber

Superior & Standard Pent

Superior Pent



Standard Pent



If Standard Pent door option W, X or Y are chosen then the height of the door will be reduced by 190mm to 1575mm x 762mm.

STANDARD PENT STANDARD FEATURES

3" x 2" Roof

Fully tongue and grooved construction

Door can be positioned on any side or end wall

Lock and key

SPECIFICATION

Sizes from:

1.22m x 1.22m (4' x 4') to

3.66m x 2.44m (12' x 8')

Eaves height 68" / 1737mm

Ridge height 76" / 1953mm

Door (front) 1765mm x 762mm

Door (to 4ft end) 1690mm x 762mm

Windows 610mm x 457mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm Heavy duty floor

50mm x 50mm framing

Security options

Felt options

Tanalised Timber



Hipex

STANDARD FEATURES

Fully tongued and grooved construction
Door can be positioned on front or either end wall
Ledged and braced door
Lock and key

SPECIFICATION

Sizes from 2.44m x 1.83m (8' x 6') up to 3.66m x 2.44m (12' x 8')
Eaves height at front 1964mm
Eaves height at back 1780mm
Ridge height
4' Front – 90" / 2290mm
5' – 93" / 2360mm

6' – 96" / 2436mm
8' – 101" / 2575mm
Door 1765mm x 762mm
Windows 610mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

50mm x 50mm framing
22mm Premier Cladding
19mm Log Lap Cladding
22mm Heavy duty floor
Security options
Stable door
Felt options
Tanalised Timber



Cabin

STANDARD FEATURES

Front and side fixed windows
Roof overhang 1/305mm
Central door
Lock and key
Fully tongue and groove construction

SPECIFICATION

Sizes from:
1.52m x 2.13m (5' x 7') up to
2.44m x 3.05m (8' x 10')
Eaves height 1680mm
Ridge height 6' Front - 85" / 2160mm
7' - 89" / 2270mm
8' - 90" / 2280mm
10' - 93" / 2370mm

Door 1765mm x 762mm
Windows 610mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

50mm x 50mm framing
22mm premier cladding
19mm Log Lap cladding
22mm Heavy duty floor
2'6" or 4' verandah
Security options
Stable door
Felt options
Tanalised Timber



Bentley's Supreme Apex and Pent

PENT



STANDARD FEATURES

Diagonal bracing in the sides
Diagonal bracing in the ends
38mm x 50mm boxed framed door
6'2" High door (available in either end)
Standard press lock and key
Zinc plated hinges
3 fixed windows

APEX SPECIFICATION

Sizes from 2.44m x 1.83m (8' x 6') up to 3.66m x 2.44m (12' x 8')
Eaves height 70" / 1778mm
Ridge height 4' Front – 81" / 2078mm
5' – 84" / 2143mm
6' – 88" / 2253mm
8' – 93" / 2373mm
Door 1778mm x 914mm
Windows 610mm x 457mm


Framing 38mm x 50mm
Cladding 16mm x 125mm

PENT SPECIFICATION

Eaves height 1937mm
Ridge height 2153mm

OPTIONS AVAILABLE

22mm Premier Cladding
19mm Log Lap Cladding
22mm Heavy duty floor
Increased height options which enables the door to be positioned on any side wall
Workshop upgrade to include 4' wide fully framed boxed door
Felt options
Tanalised Timber



Potting Shed

STANDARD FEATURES

3" x 2" Framed roof
Full length slatted staging under window
Stable door
Opening window in one end
Lock and key


SPECIFICATION

Sizes from:
1.83m x 1.83m (6' x 6') to
3.05m x 2.44m (10' x 8')
Eaves height 73" / 1854mm
Ridge height 81" / 2058mm
Door 1765mm x 762mm

Windows 6' - 1530 x 1200mm
8' - 2160mm x 1200mm
10' - 2750mm x 1200mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

Toughened glass
22mm premier cladding
50mm x 50mm Framing
22mm Heavy duty floor
Door available at either end of building
Felt options
Tanalised Timber



Combi-Potting Shed



Internal sliding door

STANDARD FEATURES

3" x 2" Framed roof
Full length slatted staging under window
Stable door
Opening window in one end
Integrated 4ft wide storage room with access via internal sliding door
2 - 4ft parallel shelves in storage room
Profiled fascias


SPECIFICATION

Sizes from 2.44m x 3.05m (8' x 10') to 3.66m x 3.66m (12' x 12')
Eaves height 2112mm / 83"
Ridge height 2307mm / 91"
Stable door
1765mm x 762mm

Internal sliding door 1810mm x 762mm
Windows 6' - 1530mm x 1200mm / 8' - 2160mm x 1200mm / 10' - 2750mm x 1200mm
Framing 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

Toughened glass
22mm Premier cladding
Framing 75mm x 50mm
22mm Heavy duty floor
Door available at either end
Felt options
Tanalised Timber



Sunflower

STANDARD FEATURES

3" x 2" Framed roof
Full length slatted staging under window
Full height windows returning at both ends
Two joinery opening windows
Lock and Key

SPECIFICATION

Sizes from:
1.83m x 1.83m (6' x 6') to
3.05m x 2.44m (10' x 8')
Eaves height 73" / 1860mm
Ridge height 81" / 2057mm

Door 1765mm x 762mm
Windows 6' - 1645mm x 905mm
8' - 2220mm x 905mm
10' - 2805mm x 905mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE


22mm premier cladding
22mm Heavy duty floor
50mm x 50mm framing
Stable door
Door available at either end of building
Felt options
Tanalised Timber



A




B




C



D




E




V




W



X



Y



Z



A



B



C



D



E

Security Apex and Pent

PENT



STANDARD FEATURES

Framing at 1'-300mm intervals throughout the sides for increased strength
38mm x 50mm diagonal bracing in gable ends
Galvanised bolted hinges
Security bolted padbolt protector
Internal glazed security window

APEX SPECIFICATION

Sizes from:
1.22m x 1.22m (4' x 4') to
3.66m x 2.44m (12' x 8')
Eaves height apex 1864mm
Ridge height apex 6' Front - 92" / 2350mm
8' - 97" / 2475mm
Door 1880mm x 762mm

Windows 1220mm x 150mm
Framing 38mm x 50mm
Door fully framed and braced in 50mm x 50mm framing
Cladding 16mm x 125mm

PENT SPECIFICATION


Eaves ht 76" / 1937mm
Ridge ht 84" / 2153mm

OPTIONS AVAILABLE

50mm x 50mm framing
22mm premier cladding
Felt options
Tanalised Timber
Loglap cladding




A



B




C




D




E



V




W



X



Y



Z



A



B



C



D



E

Please note: this model is shown with the 4ft double doors upgrade



Heavy Duty Apex and Pent

PENT



Please note: this model is shown with the 4ft double doors upgrade

STANDARD FEATURES

50mm x 50mm framing throughout with diagonal bracing
Substantial 75mm x 50mm roof truss: (as pictured)
1 up to 15ft
3 up to 20ft
5 up to 30ft
Heavy duty roofing felt
Joinery windows

APEX SPECIFICATION

Sizes from:
3.05m x 2.44m (10' x 8') to
9.14m x 3.66m (30' x 12')
Eaves height 1895mm
Ridge height 8' Front - 98" / 2490mm
10' - 102" / 2595mm
12' - 106" / 2690mm

Door 1880mm x 762mm
Windows 610mm x 457mm
Opening window 552mm x 400mm
Framing 50mm x 50mm
Cladding 16mm x 125mm

PENT SPECIFICATION

Eaves height 76" / 1937mm
Eaves height 84" / 2153mm
Door 1880mm x 762mm

OPTIONS AVAILABLE

22mm premier cladding
22mm Heavy duty floor
4', 5', 6' or 7' double doors
Security options
Felt options
Tanalised Timber



Garage



Pent Garage available on request

STANDARD FEATURES

50mm x 50mm framing throughout with diagonal side bracing
Substantial 75mm x 50mm roof truss: (as pictured)
1 up to 15ft
3 up to 20ft
5 up to 30ft
Heavy duty roofing felt
Joinery windows
No floor


SPECIFICATION

Sizes from:
3.05m x 2.44m (10' x 8') to
9.14m x 3.66m (30' x 12')
Eaves height 74" / 1895mm
Ridge height 8' Front - 94" / 2490mm
10' - 102" / 2595mm

12' - 106" / 2690mm
Double Doors 1880mm x 2135mm
Side Door 1775mm x 762mm
All doors are in 75mm x 50mm framing and braced
Windows 610mm x 457mm
Opening window 552mm x 400mm
Framing 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
4', 5', 6' or 7' fully framed 75mm x 50mm double doors
With lock and key
Security options
Felt options
Tanalised Timber



Rhino Apex and Pent



STANDARD FEATURES

75mm x 50mm Fully framed door
Roof constructed of 75mm x 50mm framing
Door can be positioned at any side or end wall
Mortice lock and key with antique handles
30" fully framed boxed door and fully boarded both sides
Heavy duty hinges
75mm x 50mm framed roofing truss
3 fixed windows
Heavy duty felt

APEX SPECIFICATION

Sizes from 2.44m x 1.83m (8' x 6') up to 3.66m x 2.44m (12' x 8')
Eaves height 1.864m
Ridge height

4' Front – 86" / 2190mm
5' – 89" / 2260mm
6' – 92" / 2336mm
8' – 97" / 2475mm

Door 1880mm x 762mm
Windows 610mm x 457mm
Framing 75mm x 50mm
Cladding 16mm x 125mm

PENT SPECIFICATION

Eaves height 76" / 1937mm
Ridge height 85" / 2153mm

OPTIONS AVAILABLE

22mm Premier Cladding
19mm Log Lap Cladding
22mm Heavy duty floor
Felt options
Tanalised Timber



The Groundsman



Untreated workbench

STANDARD FEATURES

4ft double doors boarded both sides,
75mm x 50mm fully framed
Roof constructed of 75mm x 50mm
framing
Doors can be positioned on any side
or end wall
Diagonal bracing to sides and ends
(as pictured)
Mortice lock and key with antique
handles
Heavy duty hinges
75mm x 50mm Framed roof truss
(as pictured)
Joinery windows
Untreated workbench (h) 825mm x
(w) 1650mm x (d) 635mm (as pictured)
Heavy duty felt

APEX SPECIFICATION

Sizes from 2.44m x 1.83m (8' x 6') up

to 3.66m x 2.44m (12' x 8')




Eaves height 1.864m
Ridge height:
4' Front – 86" / 2190mm
5' – 89" / 2260mm
6' – 92" / 2336mm
8' – 97" / 2475mm
Door 1880mm x 1220mm
2 fixed windows 610mm x 457mm
1 opening window 552mm x 400mm
Framing 75mm x 50mm
Cladding 16mm x 125mm

PENT SPECIFICATION

Eaves height 76" / 1937mm
Ridge height 85" / 2153mm

OPTIONS AVAILABLE

22mm Premier Cladding
19mm Log Lap Cladding
22mm Heavy duty floor
Felt options
Tanalised Timber



Corner Cabin

STANDARD FEATURES

3' wide door ledged and braced
50mm x 50mm door with rim lock,
door knob and 16" zinc coated door
hinges
Joinery opening windows

SPECIFICATION

Eaves height 76" / 1937mm
Ridge height 84" / 2153mm
Door 1880mm x 914mm
Windows 610mm x 457mm
Framing 38mm x 50mm

OPTIONS AVAILABLE

22mm Premier cladding
22mm Heavy duty floor
50mm x 50mm framing
Felt options
Tanalised Timber

Garden Store



STANDARD FEATURES

2' 6" Door
Fully tongue and groove construction
Door position on any side or end wall
Lock and key
Ledged and brace door

SPECIFICATION

Size: 1.52m x 915mm (5'x3')
Eaves height 1610mm
Ridge height 1710mm
Door 1460mm x 762mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

Doors available in any position
22mm Premier cladding
22mm floor boards
Tanalised Timber
Loglap Cladding
Felt options

Garden Tidy



STANDARD FEATURES

4' double door
Fully tongue and groove construction
Lock and key
Ledged and brace doors
Roof can slope either way

SPECIFICATION

Size: 1.83m x 762mm (6' x 2'6")
Eaves height 1610mm
Ridge height 1710mm
Double doors 1460mm x 1320mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier cladding
22mm floor boards
Tanalised Timber
Loglap Cladding
Felt options

Garden Chest



STANDARD FEATURES

Hinged lid with hasp and staple
Sliding internal storage shelf

SPECIFICATION

Size: 1.52m x 610mm (5' x 2')
Eaves height 710mm
Ridge height 802mm
Framing 38mm x 50mm
Cladding 16mm x 125mm
Tanalised Timber

OPTIONS AVAILABLE

22mm Premier cladding
22mm floor boards
Tanalised Timber
Loglap Cladding
Felt options

Wheelie Bin Store



STANDARD FEATURES

Tower bolt fitted to each door
Roof can slope either way
Slatted doors to allow for ventilation
No floor

SPECIFICATION

Size: 2134mm x 915mm (7' x 3')
Eaves height 1555mm
Ridge height 1655mm
Slatted Double Doors 1550mm x 937mm (x2)
Framing 38mm x 50mm
Cladding 16mm x 125mm (to sides and back)
Tower bolt fitted to each door

OPTIONS AVAILABLE

22mm Premier cladding
22mm floor boards
Tanalised Timber
Loglap Cladding
Felt options

Dog Kennel



SPECIFICATION

sizes: 1.22m x 915mm
(4' x 3')
1.22m x 1.22m (4' x 4')
Eaves height 660mm
Ridge height 940mm

hole size 380mm x 305mm
framing 38mm x 50mm
cladding 16mm x 125mm

Animal Arc



SPECIFICATION

2 Sliding hatches, one at
either end
4' x 3' 5" (at base) Run
with 13mm x 13mm
galvanised wire mesh
2'4 x 3' 5" (at base) Hut

with access hole
Size 1930mm x 1041mm
(6'4" x 3'5")
Ridge 1016mm / 40"
Doors 254mm x 279mm
Internal access hole height
190mm

Deluxe Apex Kennel



STANDARD FEATURES

4' x 6' kennel unit with floor
and access door with closing
bob hole
6' x 6' run with 50mm x 50mm
Galvanised weldmesh on
50mm x 50mm framing, with front
Access door
Run designed with bottom drainage
for easy cleaning

SPECIFICATION

Size: 3.05m x 1.83m (10' x 6')
Eaves height kennel 1780mm
Eaves height run 1832mm
Ridge height kennel 2250mm
Ridge height run 2305mm
Door in run 1757mm x 600mm
Door in kennel 1765mm x 604mm
Framing 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
Tanalised Timber
Felt Options

Pent Kennel & Run



STANDARD FEATURES

4' x 4' kennel with floor, front door and side with tower bolt

Dog access hole

Run made from 50mm x 50mm galvanised heavy duty wire mesh, on 50mm x 50mm framing,

Door with tower bolt

SPECIFICATION

Sizes: 3.05m x 1.22m (10' x 4') and 3.66m x 1.22m (12' x 4')

Eaves height 1433mm

Ridge height 1610mm

Doors 1455mm x 596mm

Framing kennel 38mm x 50mm

Framing run 38mm x 50mm and 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm floorboards

Run on left side opposite to main picture

6' or 8' run


Tanalised Timber

Felt Options



Hen access door
and ramp

Hen House



STANDARD FEATURES

3' X 6' Hen house with raised floor and single door. Separate closing hen access door and ramp

3' x 6' run with 13mm x 13mm

Galvanised weldmesh, and meshed door

SPECIFICATION

Size: 1.83m x 1.83m (6' x 6')

Eaves height 69 1/4" / 1760mm

Ridge height 87 3/4" / 2230mm

Meshed door 610mm x 1760mm

Single door in Hen house 1460mm x 915mm

Hen house access door 485mm x 380mm

Ramp 315 x 750

Framing 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

Attachable Nesting Box:

Size: 480mm x 1830mm (19" x 6")

Comprising of 3 nesting compartments each 585 mm x 355mm

Eaves height 31 1/2" / 800mm

Ridge height 36 1/2" / 927mm

22mm Premier cladding

19mm Log lap

22mm floorboards

Tanalised Timber

Felt Options



This model is shown with the coloured felt tiles upgrade

Traditional Dutch Barn

STANDARD FEATURES

Fully framed & braced 5ft barn style double doors
Door knob handle
Rim lock & key
One fixed window above door
Galvanised hinges
16mm x 125mm shiplap cladding
50mm x 50mm framing
1 internal shelf 33" wide
Green mineral felt (not shown in picture)
18' x 18" toughened glass

SPECIFICATION

Sizes available from 8ft x 6ft to 30ft x 10ft
Eaves height on all sizes 1680mm / 66"
Ridge height 6ft Front - 2605mm / 102"
Ridge height 8ft - 2980mm / 117"
Ridge height 10ft - 3355mm / 132"
Door size 5ft double doors barn

style with 22mm tongue & grooved cladding

Fixed Georgian window size 18" x 18" / 460mm x 460mm

Framing 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

Framing 75mm x 50mm

22mm Premier cladding (as shown in picture)

19mm Log lap

22mm heavy duty floor boards

Felt options including tiles (as shown in picture)

Joinery opening side windows

Additional fixed window in the rear apex

Security option on door

Additional shelving

Tanalised Timber



Internal roof and shelf



Summer Cabin

STANDARD FEATURES

Roof overhang 1' / 305mm
Four diamond leaded windows
Stable door with ornate antique hinges
Rim lock and knob handle
Profiled fascia boards

SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to 2.44m x 3.05m (8' x 10')
Eaves height 66" / 1680mm
Ridge height 6' Front - 85" / 2160mm
7' - 89" / 2270mm
8' - 90" / 2280mm
10' - 93" / 2370mm
Door 1765mm x 762mm

Windows 610mm x 457mm

Framing: Up to 10' Front - 38mm x 50mm

12' and Over - 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap Cladding

22mm floor boards

Veranda 2'6" or 4'

50mm x 50mm framing

Square leaded windows

Toughened glass

Felt options

Tanalised Timber



The Althorpe

STANDARD FEATURES

Half Glazed arched top doors with antique hinges, ornate handle and lever lock
2 Arched top front fixed windows
Door Drip
Roof overhang 1' / 305mm

SPECIFICATION

Sizes: 1.52m x 2.13m (5x7) and 2.13m x 2.13m (7x7) only
Eaves height 73" / 1864mm
Ridge height 91" / 2312mm
Door 1790mm x 1103mm
Windows 445mm x 1010mm
Framing: Up to 10' Front - 38mm x 50mm

12' and Over - 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier Cladding
19mm Log Lap cladding
22mm Heavy Duty Floor Boards
2'6" or 4' Veranda
Side window fixed or opening
Square or diamond leaded windows
Felt options
Tanalised Timber



The Ascot

STANDARD FEATURES

Fully glazed plain glass double doors with antique hinges, ornate handle and lever lock
2 front fixed plain full length windows
2 side fixed plain full length windows
Roof overhang 1' / 305mm
Door drip
Profiled fascia boards

SPECIFICATION

Sizes from 1.83m x 2.44m (6'x8') to 3.66m x 3.66 (12' x 12')
Eaves height 72" / 1838mm
Ridge height 8' Front – 97" / 2466mm,

10' – 102" / 2580mm,
12' – 106" / 2700mm
Doors 1790mm x 1103mm
Windows 1622mm x 452mm
Framing: Up to 10' Front - 38mm x 50mm
12' and Over - 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

Opening windows
22mm Premier cladding
19mm Log lap
22mm Floor boards
Toughened glass
50mm x 50mm Framing
2'6" or 4' Veranda



The Balmoral

STANDARD FEATURES

Half glazed joinery doors, with antique hinges, ornate handle and lever lock

4 front fixed windows

Roof overhang 1' / 305mm

Profiled fascia boards

Door drip

SPECIFICATION

Sizes from: 1.83m x 2.44m (6' x 8') to 3.66m x 3.66m (12' x 12')

Eaves height 73" / 1864mm

Ridge height 8' Front / 98" / 2490mm

10' - 101" / 2570mm

12' - 104" / 2655mm

Double doors 1790mm x 1103mm

Windows: 7' Front 455mm x 403mm

8' 553mm x 400mm

10' and over 610 x 457mm

Framing: Up to 10' Front - 38mm x 50mm

12' and Over - 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap Cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

2' 6" or 4' veranda

Felt options

Tanalised Timber



The Chatsworth

STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock

2 front fixed Georgian windows, if building is a 10ft front the 2 fixed windows become opening windows as standard

2 top hung opening

Georgian side windows

Roof overhang 1' / 305mm

Door drip

Profiled fascia boards

SPECIFICATION

Sizes from: 1.83m x 2.44m (6' x 8') to 3.66m x 3.66m (12' x 12')

Eaves height 73" / 1864mm

Ridge height 8' Front - 97" / 2466mm

10' - 102" / 2580mm

12' - 106" / 2700mm

Doors 1790mm x 1103mm

Windows 1010mm x 475mm

1040mm x 717mm

Framing: Up to 10' Front -

38mm x 50mm

12' and Over - 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap Cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

2'6" or 4' veranda

Felt options

Tanalised Timber



The Buckingham

STANDARD FEATURES

Fully glazed georgian door with antique hinges, ornate handle and lever lock

Georgian bay window

1 Georgian top hung opening side window

Roof overhang 1' / 305mm

Profiled fascias

Door drip

SPECIFICATION

Sizes from: 1.83m x 1.83m (6' x 8') to 3.66m x 3.66m (12' x 12')

Eaves height 73" / 1864mm

Ridge height 8' Front - 98" / 2490mm

10' - 101" / 2570mm

12' - 104" / 2655mm

Door 1790mm x 762mm

Windows 1040mm x 717mm

Bay window 1035mm x 1035mm

Framing: Up to 10' Front -

38mm x 50mm

12' and Over - 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

19mm Loglap Cladding

2'6" or 4' veranda

Mirror image available

Felt options

Tanalised Timber



The Windsor

STANDARD FEATURES

Fully glazed georgian double doors, antique hinges, ornate handle and lever lock

Georgian bay window

2 Georgian top hung opening side windows

Roof overhang 1' / 305mm

Side wings 305mm

Profiled fascias

Door drip

SPECIFICATION

Sizes from: 1.83m x 3.05m (6' x 10') to 3.66m x 3.66m (12' x 12')

Eaves height 73" / 1864mm

Ridge height 10' Front - 101" / 2570mm

12' - 104" / 2655mm

Double doors 1790mm x 1103mm

Windows 1040mm x 717mm

Bay window 1035mm x 1035mm

Framing: Up to 10' Front -

38mm x 50mm

12' and Over - 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap Cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

Mirror image available

Felt options

Tanalised Timber



This model is shown with the Loglap Cladding upgrade

The Kensington

STANDARD FEATURES

Fully glazed georgian double doors with antique hinges, ornate handle and lever lock
2 Georgian front windows
8ft front has 6 pane fixed
10ft / 12ft front has 9 pane openers
2 Georgian opening side windows
Roof overhang 1' / 305mm
Side wings 305mm
Profiled fascias
Door drip

SPECIFICATION

Sizes from: 1.83m x 3.05m (6' x 10') to 3.66m x 3.66m (12' x 12')
Eaves height 73" / 1864mm

Ridge height 8' Front - 98" / 2490mm
10' - 101" / 2570mm
12' - 104" / 2655mm
Double doors 1790mm x 1103mm
Windows 1040mm x 717mm
Framing: Up to 10' Front - 38mm x 50mm
12' and Over - 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
22mm floor boards
Toughened glass
50mm x 50mm framing
19mm Log Lap cladding
Felt options
Tanalised Timber



Wentworth

STANDARD FEATURES

Fully glazed georgian doors with antique hinges, ornate handle and lever lock
2 Georgian fixed front windows
2 top opening georgian side windows
4' veranda with plant boxes and side wings
Profiled fascia and veranda boards
Door drip

SPECIFICATION

Sizes from: 3.05m x 3.05m (10' x 10') to 4.87m x 3.66m (16' x 12')
Eaves height 74" / 1891mm
Ridge height 10' Front - 101" /

2560mm
12' - 104" / 2645mm
Double doors 1790mm x 1510mm
Windows 1010mm x 475mm
1040mm x 717mm
Framing 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap Cladding
22mm floor boards
Toughened glass
Felt options
Tanalised Timber



The Elton Home Office

STANDARD FEATURES

Georgian half glazed door with arched inserts to accommodate double glazed units (not included)
Heavy duty bolted black door hinges
Door drip
Georgian opening windows with arched inserts to accommodate double glazed units (not included)
Roof overhang 1' / 305mm
75mm x 50mm framing to sides and ends and braced
Profiled fascias
Substantial 75mm x 50mm roof truss (as pictured):

SPECIFICATION

Sizes from: 2.44m x 3.05m (8' x 10') to 4.87m x 3.66m (16' x 12')
Eaves height 82" / 2088mm

Ridge height 10' Front - 110" / 2790mm

12' - 113" / 2865mm

Door 1990mm x 762mm

Front window 1000mm x 1043mm

Side window 1413mm x 1043mm

Framing 75mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm floorboards


Additional side window

Double glazing

Toughened glass

Felt options

Tanalised Timber



Corner Summerhouse Georgian

STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock
2 Georgian top opening side windows
Door drip




SPECIFICATION

Sizes from: 1.83m x 1.83m (6' x 6')
2.13m x 2.13m (7' x 7')
2.44m x 2.44m (8' x 8')
Eaves height 76" / 1942mm
Ridge height 84" / 2146mm
Double doors 1790mm x 1103mm
Windows 1040mm x 717mm

Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap Cladding
22mm floor boards
Toughened glass
50mm x 50mm framing
Felt options
Tanalised Timber



Corner Summerhouse Leaded

STANDARD FEATURES

Fully glazed double doors with leaded glass and antique hinges, ornate handle and lever lock

2 leaded glass top opening side windows

Door drip

SPECIFICATION

Sizes from: 1.83m x 1.83m (6' x 6')

2.13m x 2.13m (7' x 7')

2.44m x 2.44m (8' x 8')

Eaves height 76" / 1942mm

Ridge height 84" / 2146mm

Double doors 1790mm x 1103mm

Windows 1040mm x 717mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm cladding

19mm Log Lap Cladding


22mm floor boards

Toughened glass

50mm x 50mm framing

Felt options

Tanalised Timber



COLOURED TILE
OPTIONS



BLACK



RED



GREY



GREEN



Hipped Roof Corner Summerhouse



Internal roof structure

STANDARD FEATURES

- 2 opening side windows
- Double doors
- Antique style ironmongery
- Overhang over the door
- Plain fascia board
- Felt tiled hipped roof
- Decorative corner covers
- Finial and plinth

SPECIFICATION




- Sizes from (1.83m x 1.83M) 6ft x 6ft
- Eaves height 2130mm / 86"
- Ridge height on 6ft 3010mm / 120" (top of finial)
- Ridge height on 7ft 3120mm / 125" (top of finial)

- Ridge height on 8ft 3230mm / 130" (top of finial)
- Double doors 1790mm x 1103mm
- Windows 1040mm x 1717mm
- Framing 50mm x 38mm
- Cladding 16mm x 125mm
- Flooring 16mm x 125

OPTIONS AVAILABLE

- 22mm Premier cladding
- 19mm Log lap cladding
- 22mm heavy duty floor
- 50mm x 50mm framing
- 75mm x 50mm framing
- Choice of coloured felt tiles

summer houses



Blenheim Corner



STANDARD FEATURES

- Fully glazed Georgian double doors
- Antique hinges
- Ornate handle with lever lock
- 2 top hung side windows
- Door drip
- Includes 3' veranda with roof overhang
- Roof is boarded on the underside of veranda

SPECIFICATION

- Sizes available from 9ft x 9ft to 11ft x 11ft including 3ft veranda
- Eaves height 76" / 1942
- Ridge height 95" / 2410
- Doors 1790mm x 1103mm

OPTIONS AVAILABLE

- 22mm cladding
- 19mm Log Lap Cladding
- 22mm floor boards
- Toughened glass
- 50mm x 50mm framing
- Felt options
- Tanalised Timber

Option available without upright supports

COLOURED TILE
OPTIONS



BLACK



RED



GREY



GREEN



Pavilion

STANDARD FEATURES

Georgian double doors, antique hinges, ornate handle and lever lock

2 Georgian top hung 12 pane, opening side windows

2 front fixed Georgian windows

The front roof canopy is 485mm wide and tiled in red, green, black or slate tiles. The roof is felted with green roofing felt.

Profiled fascia boards

SPECIFICATION

Sizes from 2.44m x 1.83m (8x6) up to 3.05m x 2.44m (10x8)

Eaves height 77" / 1950mm

Ridge height 88" / 2170mm

Double doors 1790mm x 1103mm

Windows 1360mm x 718mm

Framing: up to 10' end 38mm x 50mm, 12' end and above 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm Heavy Duty floor

Toughened Glass

50mm x 50mm framing

Felt options

Tanalised Timber



Pent Summerhouse

STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock

2 Georgian fixed front windows

2 Georgian 9 pane opening side windows

Profiled fascias

Door drip

SPECIFICATION

Sizes from: 1.52m x 2.44m (5' x 8') to 3.05m x 4.87m (10 x 16)

Eaves height 76" / 1937mm (back pent)

Ridge height 85" / 2153mm (front pent)

Double Doors 1790mm x 1103mm

Front windows 1010mm x 475mm

Side windows 1040mm x 717mm

Framing: up to 10' end 38mm x 50mm, 12' end and above 50mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier cladding

19mm Log lap cladding

22mm Floor boards

50mm x 50mm framing

2'6" veranda with fully tiled canopy in a choice of red, slate, green or black tiles

Toughened Glass

Choice of Georgian, diamond lead, or square lead glazing

Tanalised Timber

COLOURED TILE
OPTIONS



BLACK



RED



GREY



GREEN



Dual Pent Summerhouse



STANDARD FEATURES

Half glazed arch top double doors with antique hinges, ornate handle and lever lock
2 Arch top fixed front windows
2 Arch top opening side windows
Integrated 4' storage room with side access by security door
Galavanised bolted hinges & padbolt protector to side access door
Profiled fascias

SPECIFICATION

Sizes from: 1.83m x 2.44m (6' x 8') to 4.87m x 4.87m (16 x 16)
Eaves height 76" / 1937mm
Ridge height 85" / 2153mm
Security door 1867mm x 908mm fully framed and braced in 50mm x 50mm framing
Double Doors 1780mm x 1103mm

(10' & above)

1780mm x 1103mm (8')
Front windows 445mm x 1010mm
Side windows 1040mm x 717mm
Framing: up to 10' end 38mm x 50mm, 12' end and above 50mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier cladding
19mm Log lap cladding
22mm Floor boards
2'6" veranda with fully tiled canopy in a choice of red, slate, green or black tiles
Toughened Glass
Choice of Georgian, diamond lead, or square lead glazing
Tanalised Timber
Felt Options



Pent Summer House with Folding Doors

STANDARD FEATURES

Bi folding doors with 8ft front
and Tri folding doors with 10ft front
Toughened glass
Green mineral felt
Profined fascias
Door Drip
2 fixed side windows

SPECIFICATION

Size from 1.52m x 2.44m (5ft x 8ft)
to 3.05m x 4.87m (10ft x 16ft)
Eaves height 1937mm / 76"
(back pent)
Ridge height 2153mm / 85"
(front pent)
Bi folding doors 2005mm x 2555mm

Tri folding doors 2555mm x 2555mm
Framing 75mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier Cladding
19mm Log Lap Cladding
22mm Heavy duty floor
50mm x 50mm Framing
2'6" Veranda with fully tiled
canopy in a choice of red slate,
green or black felt tiles
Double glazed units
Choice of Georgian, diamond or
square leaded glazing
Felt options
Tanalised Timber



Sunningdale

STANDARD FEATURES

2 Fixed front windows
4 Fixed side windows
Double doors
Toughened glass throughout
Antique style ironmongery
1ft (305mm) overhang on the
pent roof
Plain fascia board
Standard mineral felt

SPECIFICATION

Framing: up to 10' end 38mm x 50mm,
12' end and above 50mm x 50mm
Sizes from (2.44m x 1.83M) 8ft x 6ft
Eaves height 1950mm / 77" (rear)
Ridge height 2170mm / 88" (front)

Roof overhang ridge 2220mm / 90"
Doors 1790mm x 1170mm
Windows front 1647mm x 515mm
Windows side 1647mm x 515mm
Framing 50mm x 38mm
Cladding 16mm x 125mm
Flooring 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier cladding
19mm Log lap cladding
22mm Heavy duty floor
50mm x 50mm framing
75mm x 50mm framing
Veranda
Profiled fascia boards
Tanalised Timber



The Sunroom

STANDARD FEATURES

Diagonal bracing
2 Fixed front windows with 3" x 2" casements
4 Fixed side windows with 3" x 2" casements
2 opening windows in rear
Double doors to accommodate double glazing as windows
Toughened glass throughout
Chrome ironmongery
Decorative fascia board
Door drips
Window cills
Heavy Duty Felt


SPECIFICATION

Sizes from (3.18m x 2.44M)
10ft 5" x 8ft

Eaves height 2030mm / 80" (rear)
Ridge height 2220mm / 91" (front)
Doors 1790mm x 1125mm
Windows front 1740mm x 919mm
Windows side 1740mm x 919mm
Windows in rear 720mm x 405mm
Framing 75mm x 50mm
Cladding 22mm x 125mm
Flooring 22mm x 125mm

OPTIONS AVAILABLE

19mm Log lap cladding
Canopy plus veranda
Double glazed units
Tanalised Timber
Felt Options





Octagonal Arbour



Internal roof structure

STANDARD FEATURES



16mm x 125mm shiplap cladding
50mm x 50mm angled
and then planed framing
1 internal seat
Red mineral felt

SPECIFICATION

Sizes available from 6ft x 6ft
to 10ft x 10ft
Eaves height on all sizes 2075mm/81"
Ridge height 6ft – 2490mm/98"
Ridge height 8ft – 2665mm /105"
Ridge height 10ft – 2840mm /112"

OPTIONS AVAILABLE

22mm Premier Cladding
19mm Log lap Cladding
22mm Heavy duty floor
3 choices of lattice design
Profiles fascia boards
Felt options
Tanalised Timber



COLOURED TILE OPTIONS



BLACK



RED



GREY



GREEN



Octagonal 8 and 10

STANDARD FEATURES

Half glazed joinery single door with antique hinges, ornate handle and lever lock

2 fully glazed top hung windows

2 fully glazed fixed windows

All side panels of the same size are fully interchangeable upon installation

Choice of tiled roof in red, slate, green or black

Door drip

Choice of georgian, diamond lead, or square lead glazing

SPECIFICATION

Size: 8' x 8' / 2440mm x 2440mm

Eaves height 80" / 2035mm

Ridge height 99" / 2535mm

Door 1790mm x 762mm

Windows 1040mm x 717mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

OCTAGONAL 10 SPECIFICATION

size: 10' x 10' / 3050mm x 3050mm

Eaves height 80" / 2035mm

Ridge height 99" / 2535mm

Double doors 1790mm x 1103mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm Heavy duty floor

Toughened glass

Tanalised Timber

COLOURED TILE
OPTIONS



BLACK




RED



GREY



GREEN



Stretched Octagonal 8

STANDARD FEATURES

Half glazed double doors with antique hinges, ornate handle and lever lock
2 fully glazed top hung windows
2 fully glazed fixed windows
Choice of tiled roof in red, slate, green or black
Door drip
Choice of Georgian, diamond lead, or square lead glazing

SPECIFICATION

size: 8' x 8'9" / 2440mm x 2667mm
Eaves height 80" / 2035mm
Ridge height 99" / 2535mm
Door 1790mm x 1103mm
Windows 1040mm x 717mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
Toughened glass
Tanalised Timber

COLOURED TILE
OPTIONS



BLACK



RED



GREY



GREEN



The Sandringham

STANDARD FEATURES

Georgian double doors to accommodate double glazing, antique hinges, ornate handle and lever lock
2 Side 12 pane Georgian top hung opening windows to accommodate double glazing
2 Front 12 pane Georgian fixed windows to accommodate double glazing
The hipped roof comes with a choice of coloured felt tiles (not fitted)
Heavy duty 3" x 2" framing throughout
Toughened glass

SPECIFICATION

Size 3.05m x 3.05 (10' x 10')

Eaves height 2160mm / 85"
Ridge height 3416mm / 136"
Double doors 1790mm x 1103mm
Windows 1360mm 718mm
Framing 75mm x 50mm
Cladding 16m x 125mm

OPTIONS AVAILABLE

22mm Premier cladding
19mm Log lap cladding
22mm Heavy duty floor
Coloured felt tiles with choice of Red, Green, Slate and Black
Double glazed units
Door and window options, plain, leaded and folding
Tanalised Timber



Toddlers Retreat



STANDARD FEATURES

Two side windows with acrylic
Door window Square acrylic
Profiled fascias
Antique door handle and hinges with
adjustable door catch

SPECIFICATION

Size: 4' X 4' (1.2m x 1.2m)
Eaves height 42¹/₄" (1074mm)
Ridge height 54¹/₂" (1384mm)
Door 1074mm x 596mm
Side windows 457mm x 457mm
Door window 305mm x 305mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier cladding
19mm Log lap
Window Box
2' veranda
Felt options
Tanalised Timber
50mm x 50mm Framing



My Little Den



STANDARD FEATURES

Door with diamond window, antique hinges and handle with adjustable door catch

2 acrylic Georgian windows

Roof overhang 1' / 305mm

Profiled fascias

SPECIFICATION

Sizes from: 1.22m x 1.83m (4' x 6') to 2.44m x 1.83m (8' x 6')

Eaves height 51" / 1318mm

Ridge height 73" / 1850mm

Door 1282mm x 596mm

Windows 457mm x 457mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm floorboards

Window box

2' veranda (with or without) please specify

Additional fixed side window

Felt options

Tanalised Timber

50mm x 50mm Framing



Ladybird Cottage



STANDARD FEATURES

Georgian joinery door with antique hinges and handle, with adjustable door catch

4 acrylic Georgian windows

Roof overhang 1' / 305mm

Profiled fascia boards

SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to 2.74m x 2.13m (7' x 7')

Eaves height 49" / 1255mm

Ridge height 70" / 1790mm

Door 1180mm x 535mm

Windows 457mm x 457mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm floorboards

2' verandah (with or without) please specify

Felt options

Tanalised Timber

50mm x 50mm Framing



Snowdrop Cottage



STANDARD FEATURES

Antique hinges and handle with adjustable door catch
4 acrylic Georgian windows
Georgian joinery door with antique hinges and handle with adjustable door catch
Chimney pot
Hip roof
Profiled fascia boards

SPECIFICATION

Sizes: 1.83m x 1.22m (6' x 4') and 2.13m x 1.52m (7' x 5')
Eaves height 51" / 1318mm
Ridge height 4' - 63" / 1615mm

5' - 70" / 1790mm
Door 1180mm x 535mm
Windows 457mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
Felt options
Tanalised Timber
50mm x 50mm Framing



Mini Barn



Internal combined seat, bed and cupboard

STANDARD FEATURES

- Garage style doors
- Windows in doors
- Internal cupboard
- Combined seat/bed
- Antique style ironmongery
- Anti-trap safety features
- Plain fascias
- Standard mineral felt

SPECIFICATION

- Eaves height 1520mm / 60"
- Ridge height 2187mm / 87"
- Cupboard/bed height 580mm / 23"
- Windows 250mm x 250mm / 10" x 10"
- Double doors 1220mm x 1520mm / 48" x 60"

- Framing 38mm x 50mm
- Cladding 16mm x 125mm
- Floor and roof 16mm x 125mm

OPTIONS AVAILABLE

- 22mm Premier cladding
- 19mm Log lap cladding
- 22mm 3/4" flooring
- 50mm x 50mm framing
- 75mm x 50mm framing
- Felt Options
- Felt tiled roof (4 colour options)
- Profiled fascia boards
- Additional windows
- Tanalised Timber
- Painted options available



Escape



STANDARD FEATURES

Full size door with 10" diamond window, antique hinges and handle
Internal bunk bed with safety rail, ladder and hand rail (as pictured)
1 Acrylic Georgian window
1 Window box
Profiled fascias

SPECIFICATION

Size 2.44m x 1.83m (8' x 6')
Eaves height 1964mm / 77"
Ridge height 2436 / 96"
Door 1765mm x 762mm
Window 457mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm Premier cladding
19mm Log lap cladding
22mm Floor boards
Additional side windows
Mirror image available
Felt options
Tanalised Timber



Wilton Lodge



STANDARD FEATURES

Door with diamond window, antique hinges and handle, with adjustable catch

3 acrylic Georgian windows with large window box

Roof overhang 1' / 305mm

Internal bunk bed with safety rail, ladder and hand rail (as pictured)

Profiled fascias

SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to 2.74m x 2.13m (9' x 7')

Eaves height 56" / 1435mm to 70" / 1785mm

Ridge height 93" / 2350mm

Door 1410mm x 596mm

Windows 457mm x 457mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm floorboards

Side fixed windows

2' veranda (with or without) please specify

Mirror image available

Felt options

Tanalised Timber

50mm x 50mm Framing



Candy Cabin



STANDARD FEATURES

Stable door with diamond in the top
Antique hinges and handle with adjustable closing catch
2 acrylic Georgian windows
1 window box
Internal bunk bed with safety rail, ladder with hand rail (as pictured)
Profiled fascias
Roof overhang 1' / 305mm

SPECIFICATION

sizes: 1.83m x 2.44m (6' x 8') and 2.44m x 2.44m (8' x 8')
Eaves height 56" / 1435mm to 70" / 1785mm
Ridge height 93" / 2360mm
Stable door:

Top 678mm x 596mm
Bottom 730mm x 596mm
Windows 457mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
Side fixed window
Window box
Mirror image available
2' veranda (with or without) please specify
Felt options
Tanalised Timber
50mm x 50mm Framing



The Hideaway



STANDARD FEATURES

Single and double garage doors with diamond windows, complete with antique hinges and handles
2 acrylic Georgian windows
2 window boxes
Internal bunk bed with safety rail, ladder and hand rail (as pictured)
Profiled fascias
Roof overhang 1' / 305mm

SPECIFICATION

sizes: 1.52m x 3.05m (5' x 10') and 1.83m x 3.05m (6' x 10')
Eaves height 56" / 1435mm to 70" / 1785mm
Ridge height 96" / 2430mm
Single door 1410mm x 596mm

Double door 1042mm x 1158mm
Windows 457mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
Additional side windows
Mirror image available
Felt options
Tanalised Timber
50mm x 50mm Framing



Charleys Castle CE



STANDARD FEATURES

Door with antique hinges, handle and adjustable door catch
Diamond window in door
3 front acrylic Georgian windows
1 side acrylic Georgian window
Profiled fascias and veranda boards
2'6" veranda with front returns
Internal bunk bed with safety rail, ladder and hand rail (as pictured)

SPECIFICATION

Sizes: 2.59m x 3.05m (8'6" x 10') and 3.2m x 3.05m (10'6" x 10') including 2'6" verandah

Eaves height 66" / 1680mm
Ridge height 110" / 2810mm
Return veranda's 1070mm
Door 1410mm x 596mm
Windows 457mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
Side fixed window
Felt options
Tanalised Timber



Kids Club House



STANDARD FEATURES

Door with antique hinges and handle with adjustable door catch
Diamond window in door
4 acrylic Georgian windows
Profiled fascias and veranda boards
3' veranda with side returns
Functional dormer window
Internal bunk bed with safety rail, ladder and hand rail (as pictured)

SPECIFICATION

Sizes:
2.13m x 3.05m (7' x 10')
2.44m x 3.05m (8' x 10')
3.05m x 3.05m (10' x 10')
Eaves height 66" / 1680mm
Ridge height 110" / 2810mm

Door 1410mm x 596mm
Windows 457mm x 457mm
Framing 38mm x 50mm
Cladding 16mm x 125mm

OPTIONS AVAILABLE

22mm premier cladding
19mm Log Lap cladding
22mm floorboards
Side fixed windows
Felt options
Tanalised Timber
50mm x 50mm Framing

We have three centres, each offering easy access, free parking and a huge range of inspiring products in stock ready to take away today!

WEST YORKSHIRE CENTRE



Stocks Moor Road, Midgley,
Wakefield, WF4 4JG

Tel: 01924 830055

Email: sales@jobearnshaw.co.uk

Open 7 days a week!

March - September

Weekdays: 8.00 - 5.00pm

Saturday: 8.30 - 5.00pm

Sunday: 10.00 - 4.00pm

SOUTH YORKSHIRE CENTRE



Barrowfield Lane, Wentworth,
Rotherham, S62 7TP

Tel: 01226 742206

Email: wentworth@jobearnshaw.co.uk

Open 7 days a week!

March - September

Weekdays: 8.00 - 5.00pm

Saturday: 8.30 - 5.00pm

Sunday: 10.00 - 4.00pm

NORTH LINCOLNSHIRE CENTRE



***OPEN SUNDAYS,
THROUGHOUT
APRIL, MAY & JUNE**

Bridge Street, Brigg,
North Lincolnshire, DN20 8NQ

Tel: 01652 653165

Email: brigg@jobearnshaw.co.uk

Open 6 days a week!

March - September

Weekdays: 8.00 - 5.00pm

Saturday: 8.30 - 5.00pm

Sunday: CLOSED*

*Pick up or download a copy of
Our Exciting New Cabin Collection today!*

www.jobearnshaw.co.uk

Follow us:     

Interbranch Transfers

You will normally find we have what you are looking for in stock at all three centres. However, from time to time less popular lines may only be in stock and in bulk at our Midgley Centre. We will happily transfer the stock you need for collection at your nearest centre – so please feel free to ask the staff on site. If you are looking for a very specific line or a large quantity please phone ahead to check that it's in stock.

Some timber products will develop checks which are splits across the grain; this is perfectly natural as the timber dries and will not reduce the strength of the timber. As timber is a natural product it has the potential to move with the atmospheric conditions and we cannot be held responsible for this movement. In the very rare occasion where there is a proven manufacturing defect, Earnshaws' liability shall in no circumstances exceed the price of the timber affected. Earnshaws shall not in any way be held responsible for any additional consequential costs or losses.

Prices correct at the time of going to press, but are subject to change without prior notice. All goods remain the property of the vendor until full payment has been received.

**SPRING
2020**