

SHEDS  
KENNELS  
STORAGE  
GARAGES  
PLAYHOUSES  
SUMMER HOUSES



**EARNSHAW'S**

*GOOD WITH WOOD, GREAT IN YOUR GARDEN!*



GARDEN BUILDINGS  
**RANGE**

[jobearnshaw.co.uk](http://jobearnshaw.co.uk)



# introduction

At TGB Sheds we manufacture a comprehensive range of quality garden buildings. We take great care and pride in our attention to detail and feel confident you will find a product suitable for your needs. Many options are available for all our buildings, these include; 22mm floorboards, 22mm premier cladding, 19mm log effect cladding, security products, 38mm x 50mm framing as standard, 50mm x 50mm and 50mm x 75mm framing, pressure treated tanalised timber, additional doors and windows, and increased eaves heights. If you cannot find a building to suit your needs please enquire about a custom built model as we cater for our customer needs.

We are a progressive forward thinking company and in-line with our policy of continual development and improvement reserve the right to change specifications, designs and prices without notice.

All buildings are pre-treated with quality water based wood preservative prior to delivery.\* To ensure longevity we recommend a top coat upon installation, and annually thereafter. Timber is a natural product, subject to changes caused by environmental conditions, to minimise contraction and expansion it is essential to maintain your building.


All timber sizes are nominal, before machining unless stated.

All building dimensions shown are approximate, based on external wall sizes, allowances should be made for roof overhangs when locating your building in a confined space.

All glass used is 3mm horticultural unless otherwise stated.



Specifications of timber used. All sizes are nominal (before machining) unless otherwise stated.



The finished sizes of our product are accurate to +/- 1mm.

#### PLEASE NOTE:

Buildings are available in all timber specifications and can be manufactured to your individual requirements. All measurements in the brochure are internal eaves and ridge height and for planning application purposes, the external measurements including roof and floor joists will be required.

## We now offer pressure treated timber as an upgrade - Tanalised E - on all our products


#### Main Features

- All pressure treated buildings are manufactured using 15mm finished cladding with an extended 10mm tongue.
- Protected by a unique, highly developed preservative formulation, TANALISED E pressure treated timber gives a reliable and consistent protection against fungal decay and insect attack.
- Appealing natural pale green colour with excellent weathering properties.
- Usually specified for indoor and outdoor applications where there is a medium to high risk of fungal decay and insect attack, e.g. general construction, landscaping and leisure timbers, fencing and other outdoor timber projects.
- TANALISED E is tested in accordance with the requirements of BS EN599 and new European standards.
- TANALISED E is acknowledged globally on performance for long term protection against decay and insect attack

#### Guarantee

- Minimum 15 year guarantee against general timber rot and decay - the guarantee does not cover against splits or movement which may occur naturally over time.
- All buildings must be installed correctly using manufacturers instructions and treated annually using correct water repellent preservative and all windows to be made water tight using silicone or sealant to maintain validity of the guarantee.

Specifications of pressure treated timber used. All sizes are nominal (before machining) unless otherwise stated.



The finished sizes of our product are accurate to +/- 1mm.



# contents

sheds

5



5



6



6



7



8



9



9



10



11



12



13



13



14



14



15



16



16



17



18



storage & kennels

19



19



20



20



21




21



21



22



22



23



summer houses

24



25



26



27



28



29



30



# contents



5 Superior Apex  
 5 Standard Apex  
 6 Superior Pent  
 6 Standard Pent  
 7 Hipex  
 8 Cabin  
 9 Bentley Supreme Apex  
 9 Bentley Supreme Pent  
 10 Potting Shed  
 11 Combi-Potting Shed  
 12 Sunflower  
 13 Security Apex  
 13 Security Pent  
 14 Heavy Duty Apex  
 14 Heavy Duty Pent  
 15 Garage Apex and Pent  
 16 Rhino Apex

16 Rhino Pent  
 17 Groundsman  
 18 Corner Cabin  
 19 Garden Store  
 19 Garden Tidy  
 20 Garden Chest  
 20 Wheelie Bin Store  
 21 Dog Kennel  
 21 Animal Arc  
 21 Deluxe Apex Kennel and Run  
 22 Pent Kennel and Run  
 22 Hen House  
 23 Traditional Dutch Barn  
 24 Summer Cabin  
 25 Althorpe  
 26 Ascot  
 27 Balmoral

28 Chatsworth  
 29 Buckingham  
 30 Windsor  
 31 Kensington  
 32 Wentworth  
 33 The Elton Home Office  
 34 Corner Summer House Georgian  
 35 Corner Summer House Leaded  
 36 Hipped Roof Corner Summerhouse  
 37 Blenheim Corner Summerhouse  
 38 Pavilion  
 39 Pent Summer House  
 40 Dual Pent Summerhouse  
 41 Pent Summerhouse with Folding Doors  
 42 Sunningdale

43 The Sunroom  
 44 Octagonal Arbour  
 45 Octagen 8 + 10  
 46 Stretched Octagonal 8  
 47 Sandringham  
 48 Toddlers Retreat  
 49 My Little Den  
 50 Ladybird Cottage  
 51 Snowdrop Cottage  
 52 Mini Barn  
 53 Escape  
 54 Wilton Lodge  
 55 Candy Cabin  
 56 The Hideaway  
 57 Charleys Castle  
 58 Kids Club House

**PLEASE NOTE:** All our playhouses conform to trading standards BS5665 and are fitted with the CE mark

Safety features include: acrylic safety glass with planed and rounded corners on all the framing, staircases with horizontal tread, and hand rails. Doors are fitted with anti trap plastic strip to prevent finger injury.





A



B



C



D



E



### SUPERIOR APEX STANDARD FEATURES

Fully tongue and grooved construction

Door can be positioned on any side or end wall

Ledged and braced door

Lock and key

Interchangeable panels

### SPECIFICATION

Sizes from:

1.22m x 1.22m (4' x 4') up to 3.66m x 2.44m (12' x 8')

Eaves Height 1864mm

Ridge Height

4' Front - 86" / 2190mm

5' - 89" / 2260mm

6' - 92" / 2336mm

8' - 97" / 2475mm

Door 1880mm x 762mm

Windows 610mm x 457mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm Heavy duty floor

50mm x 50mm framing

Security options

Opening window

Felt options

Tanalised Timber

## Superior & Standard Apex

Superior Apex

Standard Apex



If Standard Apex door option B,C or D are chosen then the height of the door is reduced by 190mm to 1575mm x 762mm.

### STANDARD APEX STANDARD FEATURES

Fully tongue and grooved construction

Ledged and braced door

Lock and key

Interchangeable panels

### SPECIFICATION

Sizes from:

1.22m x 1.22m (4' x 4') up to 3.66m x 2.44m (12' x 8')

Eaves height 1680mm

Ridge height

4' Front - 78" / 1985mm

5' - 81" / 2050mm

6' - 85" / 2160mm

8' - 90" / 2280mm

Door 1765mm x 762mm

Windows 610mm x 457mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm Heavy duty floor

50mm x 50mm framing

security options

opening window

Stable Door

Felt options

Tanalised Timber



A



B




C



D



E



V




W



X



Y



Z



### SUPERIOR PENT STANDARD FEATURES

3" x 2" Framed roof  
Fully tongue and grooved construction  
Door can be positioned on any side or end wall  
Lock and key

### SPECIFICATION

Sizes from:  
1.22m x 1.22m (4' x 4') to  
3.66m x 2.44m (12' x 8')  
Eaves height 1937mm  
Ridge height 2153mm  
Door 1880mm x 762mm  
Windows 610mm x 457mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap cladding  
22mm Heavy duty floor  
50mm x 50mm framing  
Security options  
Felt options  
Tanalised Timber

## Superior & Standard Pent

Superior Pent



Standard Pent



If Standard Pent door option W, X or Y are chosen then the height of the door will be reduced by 190mm to 1575mm x 762mm.

### STANDARD PENT STANDARD FEATURES

3" x 2" Roof  
Fully tongue and grooved construction  
Door can be positioned on any side or end wall  
Lock and key

### SPECIFICATION

Sizes from:  
1.22m x 1.22m (4' x 4') to  
3.66m x 2.44m (12' x 8')  
Eaves height 68" / 1737mm  
Ridge height 76" / 1953mm  
Door (front) 1765mm x 762mm  
Door (to 4ft end) 1690mm x 762mm

Windows 610mm x 457mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap cladding  
22mm Heavy duty floor  
50mm x 50mm framing  
Security options  
Felt options  
Tanalised Timber



## Hipex

### STANDARD FEATURES

Fully tongued and grooved construction  
Door can be positioned on front or either end wall  
Ledged and braced door  
Lock and key

### SPECIFICATION

Sizes from 2.44m x 1.83m (8' x 6') up to 3.66m x 2.44m (12' x 8')  
Eaves height at front 1964mm  
Eaves height at back 1780mm  
Ridge height  
4' Front – 90" / 2290mm  
5' – 93" / 2360mm

6' – 96" / 2436mm  
8' – 101" / 2575mm  
Door 1765mm x 762mm  
Windows 610mm x 457mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

50mm x 50mm framing  
22mm Premier Cladding  
19mm Log Lap Cladding  
22mm Heavy duty floor  
Security options  
Stable door  
Felt options  
Tanalised Timber





## Cabin

### STANDARD FEATURES

Front and side fixed windows  
Roof overhang 1/305mm  
Central door  
Lock and key  
Fully tongue and groove construction

### SPECIFICATION

Sizes from:  
1.52m x 2.13m (5' x 7') up to  
4.26m x 3.05m (14' x 10')  
Eaves height 1680mm  
Ridge height 6' Front - 85" / 2160mm  
7' - 89" / 2270mm  
8' - 90" / 2280mm  
10' - 93" / 2370mm

Door 1765mm x 762mm  
Windows 610mm x 457mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

50mm x 50mm framing  
22mm premier cladding  
19mm Log Lap cladding  
22mm Heavy duty floor  
2'6" or 4' veranda  
Security options  
Stable door  
Felt options  
Tanalised Timber



## Bentley's Supreme Apex and Pent

### PENT



#### STANDARD FEATURES

Diagonal bracing in the sides  
Diagonal bracing in the ends  
38mm x 50mm boxed framed door  
6'2" High door (available in either end)  
Standard press lock and key  
Zinc plated hinges  
3 fixed windows

#### APEX SPECIFICATION

Sizes from 2.44m x 1.83m (8' x 6') up to 3.66m x 2.44m (12' x 8')  
Eaves height 70" / 1778mm  
Ridge height 4' Front – 81" / 2078mm  
5' – 84" / 2143mm  
6' – 88" / 2253mm  
8' – 93" / 2373mm  
Door 1778mm x 914mm  
Windows 610mm x 457mm

Framing 38mm x 50mm  
Cladding 16mm x 125mm


#### PENT SPECIFICATION

Eaves height 1937mm  
Ridge height 2153mm

#### OPTIONS AVAILABLE

22mm Premier Cladding  
19mm Log Lap Cladding  
22mm Heavy duty floor  
Increased height options which enables the door to be positioned on any side wall  
Workshop upgrade to include 4' wide fully framed boxed door  
Felt options  
Tanalised Timber





## Potting Shed

### STANDARD FEATURES

3" x 2" Framed roof  
Full length slatted staging under window  
Stable door  
Opening window in one end  
Lock and key


### SPECIFICATION

Sizes from:  
1.83m x 1.83m (6' x 6') to  
3.05m x 2.44m (10' x 8')  
Eaves height 73" / 1854mm  
Ridge height 81" / 2058mm  
Door 1765mm x 762mm

Windows 6' - 1530 x 1200mm  
8' - 2160mm x 1200mm  
10' - 2750mm x 1200mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

Toughened glass  
22mm premier cladding  
50mm x 50mm Framing  
22mm Heavy duty floor  
Door available at either end of building  
Felt options  
Tanalised Timber



## Combi-Potting Shed

### STANDARD FEATURES

3" x 2" Framed roof  
Full length slatted staging under window  
Stable door  
Opening window in one end  
Integrated 4ft wide storage room with access via internal sliding door  
2 - 4ft parallel shelves in storage room  
Profiled fascias

### SPECIFICATION

Sizes from 2.44m x 3.05m (8' x 10') to 3.66m x 3.66m (12' x 12')  
Eaves height 2112mm / 83"  
Ridge height 2307mm / 91"  
Stable door 1765mm x 762mm

Internal sliding door 1810mm x 762mm  
Windows 6' - 1530mm x 1200mm / 8' - 2160mm x 1200mm / 10' - 2750mm x 1200mm  
Framing 50mm x 50mm  
Cladding 16mm x 125mm


### OPTIONS AVAILABLE

Toughened glass  
22mm Premier cladding  
Framing 75mm x 50mm  
22mm Heavy duty floor  
Door available at either end  
Felt options  
Tanalised Timber



Internal sliding door





## Sunflower

### STANDARD FEATURES

3" x 2" Framed roof  
Full length slatted staging under window  
Full height windows returning at both ends  
Two joinery opening windows  
Lock and Key

### SPECIFICATION

Sizes from:  
1.83m x 1.83m (6' x 6') to  
3.05m x 2.44m (10' x 8')  
Eaves height 73" / 1860mm  
Ridge height 81" / 2057mm

Door 1765mm x 762mm  
Windows 6' - 1645mm x 905mm  
8' - 2220mm x 905mm  
10' - 2805mm x 905mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
22mm Heavy duty floor  
50mm x 50mm framing  
Stable door  
Door available at either end of building  
Felt options  
Tanalised Timber



A



B



C



D



E



V




W



X



Y



Z



A



B



C



D



E

## Security Apex and Pent

### PENT



### STANDARD FEATURES

Framing at 1'-300mm intervals throughout the sides for increased strength  
38mm x 50mm diagonal bracing in gable ends  
Galvanised bolted hinges  
Security bolted padbolt protector  
Internal glazed security window

### APEX SPECIFICATION

Sizes from:  
1.22m x 1.22m (4' x 4') to  
3.66m x 2.44m (12' x 8')  
Eaves height apex 1864mm  
Ridge height apex 6' Front - 92" / 2350mm  
8' - 97" / 2475mm  
Door 1880mm x 762mm

Windows 1220mm x 150mm  
Framing 38mm x 50mm  
Door fully framed and braced in 50mm x 50mm framing  
Cladding 16mm x 125mm

### PENT SPECIFICATION

Eaves ht 76" / 1937mm  
Ridge ht 84" / 2153mm

### OPTIONS AVAILABLE

50mm x 50mm framing  
22mm premier cladding  
Felt options  
Tanalised Timber  
Loglap cladding





A




B




C



D



E



V




W



X



Y



Z



A



B



C



D



E

**Please note:** this model is shown with the 4ft double doors upgrade



## Heavy Duty Apex and Pent

### PENT



**Please note:** this model is shown with the 4ft double doors upgrade

### STANDARD FEATURES

50mm x 50mm framing throughout with diagonal bracing  
Substantial 75mm x 50mm roof truss: (as pictured)  
1 up to 15ft  
3 up to 20ft  
5 up to 30ft  
Heavy duty roofing felt  
Joinery windows

### APEX SPECIFICATION

Sizes from:  
3.05m x 2.44m (10' x 8') to  
9.14m x 3.66m (30' x 12')  
Eaves height 1895mm  
Ridge height 8' Front - 98" / 2490mm  
10' - 102" / 2595mm  
12' - 106" / 2690mm

Door 1880mm x 762mm  
Windows 610mm x 457mm  
Opening window 552mm x 400mm  
Framing 50mm x 50mm  
Cladding 16mm x 125mm

### PENT SPECIFICATION

Eaves height 76" / 1937mm  
Eaves height 84" / 2153mm  
Door 1880mm x 762mm

### OPTIONS AVAILABLE

22mm premier cladding  
22mm Heavy duty floor  
4', 5', 6' or 7' double doors  
Security options  
Felt options  
Tanalised Timber



## Garage



Pent Garage available on request

### STANDARD FEATURES

50mm x 50mm framing throughout with diagonal side bracing  
Substantial 75mm x 50mm roof truss: (as pictured)  
1 up to 15ft  
3 up to 20ft  
5 up to 30ft  
Heavy duty roofing felt  
Joinery windows  
No floor

### SPECIFICATION

Sizes from:  
3.05m x 2.44m (10' x 8') to  
9.14m x 3.66m (30' x 12')  
Eaves height 74" / 1895mm  
Ridge height 8' Front - 94" / 2490mm  
10' - 102" / 2595mm

12' - 106" / 2690mm  
Double Doors 1880mm x 2135mm  
Side Door 1775mm x 762mm  
All doors are in 75mm x 50mm framing and braced  
Windows 610mm x 457mm  
Opening window 552mm x 400mm  
Framing 50mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
4', 5', 6' or 7' fully framed 75mm x 50mm double doors  
With lock and key  
Security options  
Felt options  
Tanalised Timber





## Rhino Apex and Pent



### STANDARD FEATURES

75mm x 50mm Fully framed door  
Roof constructed of 75mm x 50mm framing  
Door can be positioned at any side or end wall  
Mortice lock and key with antique handles  
30" fully framed boxed door and fully boarded both sides  
Heavy duty hinges  
75mm x 50mm framed roofing truss  
3 fixed windows  
Heavy duty felt

### APEX SPECIFICATION

Sizes from 2.44m x 1.83m (8' x 6') up to 3.66m x 2.44m (12' x 8')  
Eaves height 1.864m  
Ridge height

4' Front – 86" / 2190mm  
5' – 89" / 2260mm  
6' – 92" / 2336mm  
8' – 97" / 2475mm  
Door 1880mm x 762mm  
Windows 610mm x 457mm  
Framing 75mm x 50mm  
Cladding 16mm x 125mm

### PENT SPECIFICATION

Eaves height 76" / 1937mm  
Ridge height 85" / 2153mm

### OPTIONS AVAILABLE

22mm Premier Cladding  
19mm Log Lap Cladding  
22mm Heavy duty floor  
Felt options  
Tanalised Timber



## The Groundsman



Untreated workbench

### STANDARD FEATURES

4ft double doors boarded both sides,  
75mm x 50mm fully framed  
Roof constructed of 75mm x 50mm  
framing  
Doors can be positioned on any side  
or end wall  
Diagonal bracing to sides and ends  
(as pictured)  
Mortice lock and key with antique  
handles  
Heavy duty hinges  
75mm x 50mm Framed roof truss  
(as pictured)  
Joinery windows  
Untreated workbench (h) 825mm x  
(w) 1650mm x (d) 635mm (as pictured)  
Heavy duty felt

### APEX SPECIFICATION

Sizes from 2.44m x 1.83m (8' x 6') up

to 3.66m x 2.44m (12' x 8')

Eaves height 1.864m  
Ridge height:  
4' Front – 86" / 2190mm  
5' – 89" / 2260mm  
6' – 92" / 2336mm  
8' – 97" / 2475mm  
Door 1880mm x 1220mm  
2 fixed windows 610mm x 457mm  
1 opening window 552mm x 400mm  
Framing 75mm x 50mm  
Cladding 16mm x 125mm




### PENT SPECIFICATION

Eaves height 76" / 1937mm  
Ridge height 85" / 2153mm

### OPTIONS AVAILABLE

22mm Premier Cladding  
19mm Log Lap Cladding  
22mm Heavy duty floor  
Felt options  
Tanalised Timber





## Corner Cabin

### STANDARD FEATURES

3' wide door ledged and braced  
50mm x 50mm door with rim lock,  
door knob and 16" zinc coated door  
hinges  
Joinery opening windows

### SPECIFICATION

Eaves height 76" / 1937mm  
Ridge height 84" / 2153mm  
Door 1880mm x 914mm  
Windows 610mm x 457mm  
Framing 38mm x 50mm

### OPTIONS AVAILABLE

22mm Premier cladding  
22mm Heavy duty floor  
50mm x 50mm framing  
Felt options  
Tanalised Timber

## Garden Store



### STANDARD FEATURES

2' 6" Door

Fully tongue and groove construction

Door position on any side or end wall

Lock and key

Ledged and brace door

### SPECIFICATION

Size: 1.52m x 915mm (5'x3')

Eaves height 1610mm

Ridge height 1710mm

Door 1460mm x 762mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

Doors available in any position

22mm Premier cladding

22mm floor boards

Tanalised Timber

Loglap Cladding

Felt options

## Garden Tidy



### STANDARD FEATURES

4' double door

Fully tongue and groove construction

Lock and key

Ledged and brace doors

Roof can slope either way

### SPECIFICATION

Size: 1.83m x 762mm (6' x 2'6")

Eaves height 1610mm

Ridge height 1710mm

Double doors 1460mm x 1320mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm Premier cladding

22mm floor boards

Tanalised Timber

Loglap Cladding

Felt options

## Garden Chest



### STANDARD FEATURES

Hinged lid with hasp and staple  
Sliding internal storage shelf

### SPECIFICATION

Size: 1.52m x 610mm (5' x 2')  
Eaves height 710mm  
Ridge height 802mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm  
Tanalised Timber

### OPTIONS AVAILABLE

22mm Premier cladding  
22mm floor boards  
Tanalised Timber  
Loglap Cladding  
Felt options

## Wheelie Bin Store



### STANDARD FEATURES

Tower bolt fitted to each door  
Roof can slope either way  
Slatted doors to allow for ventilation  
No floor

### SPECIFICATION

Size: 2134mm x 915mm (7' x 3')  
Eaves height 1555mm  
Ridge height 1655mm  
Slatted Double Doors 1550mm x 937mm (x2)  
Framing 38mm x 50mm  
Cladding 16mm x 125mm (to sides and back)  
Tower bolt fitted to each door

### OPTIONS AVAILABLE

22mm Premier cladding  
22mm floor boards  
Tanalised Timber  
Loglap Cladding  
Felt options



## Dog Kennel



### SPECIFICATION

sizes: 1.22m x 915mm  
(4' x 3')  
1.22m x 1.22m (4' x 4')  
Eaves height 660mm  
Ridge height 940mm

hole size 380mm x 305mm  
framing 38mm x 50mm  
cladding 16mm x 125mm

## Animal Arc



### SPECIFICATION

2 Sliding hatches, one at  
either end  
4' x 3' 5" (at base) Run  
with 13mm x 13mm  
galvanised wire mesh  
2'4 x 3' 5" (at base) Hut

with access hole  
Size 1930mm x 1041mm  
(6'4" x 3'5")  
Ridge 1016mm / 40"  
Doors 254mm x 279mm  
Internal access hole height  
190mm

## Deluxe Apex Kennel



### STANDARD FEATURES

4' x 6' kennel unit with floor  
and access door with closing  
bob hole  
6' x 6' run with 50mm x 50mm  
Galvanised weldmesh on  
50mm x 50mm framing, with front  
Access door  
Run designed with bottom drainage  
for easy cleaning

### SPECIFICATION

Size: 3.05m x 1.83m (10' x 6')  
Eaves height kennel 1780mm  
Eaves height run 1832mm  
Ridge height kennel 2250mm  
Ridge height run 2305mm  
Door in run 1757mm x 600mm  
Door in kennel 1765mm x 604mm  
Framing 50mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap cladding  
22mm floorboards  
Tanalised Timber  
Felt Options

## Pent Kennel & Run



### STANDARD FEATURES

4' x 4' kennel with floor, front door and side with tower bolt

Dog access hole

Run made from 50mm x 50mm galvanised heavy duty wire mesh, on 50mm x 50mm framing,

Door with tower bolt

### SPECIFICATION

Sizes: 3.05m x 1.22m (10' x 4') and 3.66m x 1.22m (12' x 4')

Eaves height 1433mm

Ridge height 1610mm

Doors 1455mm x 596mm

Framing kennel 38mm x 50mm

Framing run 38mm x 50mm and 50mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm floorboards

Run on left side opposite to main picture

6' or 8' run

Tanalised Timber

Felt Options



Hen access door  
and ramp

## Hen House



### STANDARD FEATURES

3' X 6' Hen house with raised floor and single door. Separate closing hen access door and ramp

3' x 6' run with 13mm x 13mm

Galvanised weldmesh, and meshed door

### SPECIFICATION

Size: 1.83m x 1.83m (6' x 6')

Eaves height 69 1/4" / 1760mm

Ridge height 87 3/4" / 2230mm

Meshed door 610mm x 1760mm

Single door in Hen house 1460mm x 915mm

Hen house access door 485mm x 380mm

Ramp 315 x 750

Framing 50mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

Attachable Nesting Box:

Size: 480mm x 1830mm (19" x 6")

Comprising of 3 nesting compartments each 585 mm x 355mm

Eaves height 31 1/2" / 800mm

Ridge height 36 1/2" / 927mm

22mm Premier cladding

19mm Log lap

22mm floorboards

Tanalised Timber

Felt Options



This model is shown with the coloured felt tiles upgrade

## Traditional Dutch Barn

### STANDARD FEATURES

Fully framed & braced 5ft barn style double doors  
Door knob handle  
Rim lock & key  
One fixed window above door  
Galvanised hinges  
16mm x 125mm shiplap cladding  
50mm x 50mm framing  
1 internal shelf 33" wide  
Green mineral felt (not shown in picture)  
18' x 18" toughened glass

### SPECIFICATION

Sizes available from 8ft x 6ft to 30ft x 10ft  
Eaves height on all sizes 1680mm / 66"  
Ridge height 6ft Front - 2605mm / 102"  
Ridge height 8ft - 2980mm / 117"  
Ridge height 10ft - 3355mm / 132"  
Door size 5ft double doors barn

style with 22mm tongue & grooved cladding

Fixed Georgian window size  
18" x 18" / 460mm x 460mm

Framing 50mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

Framing 75mm x 50mm

22mm Premier cladding (as shown in picture)

19mm Log lap

22mm heavy duty floor boards

Felt options including tiles (as shown in picture)


Joinery opening side windows

Additional fixed window in the rear apex

Security option on door

Additional shelving

Tanalised Timber



Internal roof and shelf





## Summer Cabin

### STANDARD FEATURES

Roof overhang 1' / 305mm  
Four diamond leaded windows  
Stable door with ornate antique hinges  
Rim lock and knob handle  
Profiled fascia boards

### SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to  
4.26m x 3.05m (14' x 10')  
Eaves height 66" / 1680mm  
Ridge height 6' Front - 85" / 2160mm  
7' - 89" / 2270mm  
8' - 90" / 2280mm  
10' - 93" / 2370mm  
Door 1765mm x 762mm

Windows 610mm x 457mm

Framing: Up to 10' Front - 38mm x 50mm

12' and Over - 50mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap Cladding

22mm floor boards

2'6" or 4' veranda

50mm x 50mm framing

Square leaded windows

Toughened glass

Felt options

Tanalised Timber



## The Althorpe

### STANDARD FEATURES

Half Glazed arched top doors with antique hinges, ornate handle and lever lock  
2 Arched top front fixed windows  
Door Drip  
Roof overhang 1' / 305mm

### SPECIFICATION

Sizes: 1.52m x 2.13m (5x7) and 2.13m x 2.13m (7x7) only  
Eaves height 73" / 1864mm  
Ridge height 91" / 2312mm  
Door 1790mm x 1103mm  
Windows 445mm x 1010mm  
Framing: Up to 10' Front - 38mm x 50mm

12' and Over - 50mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm Premier Cladding  
19mm Log Lap cladding  
22mm Heavy Duty Floor Boards  
2'6" or 4' Veranda  
Side window fixed or opening  
Square or diamond leaded windows  
Felt options  
Tanalised Timber



## The Ascot

### STANDARD FEATURES

Fully glazed plain glass double doors with antique hinges, ornate handle and lever lock  
2 front fixed plain full length windows  
2 side fixed plain full length windows  
Roof overhang 1' / 305mm  
Door drip  
Profiled fascia boards

### SPECIFICATION

Sizes from 1.83m x 2.44m (6'x8') to 3.66m x 3.66 (12' x 12')  
Eaves height 72" / 1838mm  
Ridge height 8' Front – 97" / 2466mm,

10' – 102" / 2580mm,  
12' – 106" / 2700mm  
Doors 1790mm x 1103mm  
Windows 1622mm x 452mm  
Framing: Up to 10' Front - 38mm x 50mm  
12' and Over - 50mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

Opening windows  
22mm Premier cladding  
19mm Log lap  
22mm Floor boards  
Toughened glass  
50mm x 50mm Framing  
2'6" or 4' Veranda





## The Balmoral

### STANDARD FEATURES

Half glazed joinery doors, with antique hinges, ornate handle and lever lock

4 front fixed windows

Roof overhang 1' / 305mm

Profiled fascia boards

Door drip

### SPECIFICATION

Sizes from: 1.83m x 2.44m (6' x 8') to 3.66m x 3.66m (12' x 12')

Eaves height 73" / 1864mm

Ridge height 8' Front / 98" / 2490mm

10' - 101" / 2570mm

12' - 104" / 2655mm

Double doors 1790mm x 1103mm

Windows: 7' Front 455mm x 403mm

8' 553mm x 400mm

10' and over 610 x 457mm

Framing: Up to 10' Front - 38mm x 50mm

12' and Over - 50mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap Cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

2' 6" or 4' veranda

Felt options

Tanalised Timber



## The Chatsworth

### STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock

2 front fixed Georgian windows, if building is a 10ft front the 2 fixed windows become opening windows as standard

2 top hung opening

Georgian side windows

Roof overhang 1' / 305mm

Door drip

Profiled fascia boards

### SPECIFICATION

Sizes from: 1.83m x 2.44m (6' x 8') to 3.66m x 3.66m (12' x 12')

Eaves height 73" / 1864mm

Ridge height 8' Front - 97" / 2466mm

10' - 102" / 2580mm

12' - 106" / 2700mm

Doors 1790mm x 1103mm

Windows 1010mm x 475mm

1040mm x 717mm

Framing: Up to 10' Front -

38mm x 50mm

12' and Over - 50mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap Cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

2'6" or 4' veranda

Felt options

Tanalised Timber



## The Buckingham

### STANDARD FEATURES

Fully glazed georgian door with antique hinges, ornate handle and lever lock

Georgian bay window

1 Georgian top hung opening side window

Roof overhang 1' / 305mm

Profiled fascias

Door drip

### SPECIFICATION

Sizes from: 1.83m x 1.83m (6' x 8') to 3.66m x 3.66m (12' x 12')

Eaves height 73" / 1864mm

Ridge height 8' Front - 98" / 2490mm

10' - 101" / 2570mm

12' - 104" / 2655mm

Door 1790mm x 762mm

Windows 1040mm x 717mm

Bay window 1035mm x 1035mm

Framing: Up to 10' Front -

38mm x 50mm

12' and Over - 50mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

19mm Loglap Cladding

2'6" or 4' veranda

Mirror image available

Felt options

Tanalised Timber





## The Windsor

### STANDARD FEATURES

Fully glazed georgian double doors, antique hinges, ornate handle and lever lock

Georgian bay window

2 Georgian top hung opening side windows

Roof overhang 1' / 305mm

Side wings 305mm

Profiled fascias

Door drip

### SPECIFICATION

Sizes from: 1.83m x 3.05m (6' x 10') to 3.66m x 3.66m (12' x 12')

Eaves height 73" / 1864mm

Ridge height 10' Front - 101" / 2570mm

12' - 104" / 2655mm

Double doors 1790mm x 1103mm

Windows 1040mm x 717mm

Bay window 1035mm x 1035mm

Framing: Up to 10' Front -

38mm x 50mm

12' and Over - 50mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap Cladding

22mm floor boards

Toughened glass

50mm x 50mm framing

Mirror image available

Felt options

Tanalised Timber



This model is shown with the Loglap Cladding upgrade

## The Kensington

### STANDARD FEATURES

Fully glazed georgian double doors with antique hinges, ornate handle and lever lock  
2 Georgian front windows  
8ft front has 6 pane fixed  
10ft / 12ft front has 9 pane openers  
2 Georgian opening side windows  
Roof overhang 1' / 305mm  
Side wings 305mm  
Profiled fascias  
Door drip

### SPECIFICATION

Sizes from: 1.83m x 3.05m (6' x 10') to 3.66m x 3.66m (12' x 12')  
Eaves height 73" / 1864mm

Ridge height 8' Front - 98" / 2490mm  
10' - 101" / 2570mm  
12' - 104" / 2655mm  
Double doors 1790mm x 1103mm  
Windows 1040mm x 717mm  
Framing: Up to 10' Front - 38mm x 50mm  
12' and Over - 50mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
22mm floor boards  
Toughened glass  
50mm x 50mm framing  
19mm Log Lap cladding  
Felt options  
Tanalised Timber



## Wentworth

### STANDARD FEATURES

Fully glazed georgian doors with antique hinges, ornate handle and lever lock  
2 Georgian fixed front windows  
2 top opening georgian side windows  
4' veranda with plant boxes and side wings  
Profiled fascia and veranda boards  
Door drip

### SPECIFICATION

Sizes from: 3.05m x 3.05m (10' x 10')  
to 4.87m 3.66m (16' x 12')  
Eaves height 74" / 1891mm  
Ridge height 10' Front - 101" /

2560mm  
12' - 104" / 2645mm  
Double doors 1790mm x 1510mm  
Windows 1010mm x 475mm  
1040mm x 717mm  
Framing 50mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap Cladding  
22mm floor boards  
Toughened glass  
Felt options  
Tanalised Timber





## The Elton Home Office

### STANDARD FEATURES

Georgian half glazed door with arched inserts to accommodate double glazed units (not included)  
Heavy duty bolted black door hinges  
Door drip  
Georgian opening windows with arched inserts to accommodate double glazed units (not included)  
Roof overhang 1' / 305mm  
75mm x 50mm framing to sides and ends and braced  
Profiled fascias  
Substantial 75mm x 50mm roof truss (as pictured):


### SPECIFICATION

Sizes from: 2.44m x 3.05m (8' x 10')  
to 4.87m x 3.66m (16' x 12')  
Eaves height 82" / 2088mm

Ridge height 10' Front - 110" / 2790mm  
12' - 113" / 2865mm  
Door 1990mm x 762mm  
Front window 1000mm x 1043mm  
Side window 1413mm x 1043mm  
Framing 75mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap cladding  
22mm floorboards  
Additional side window  
Double glazing  
Toughened glass  
Felt options  
Tanalised Timber



## Corner Summerhouse Georgian

### STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock  
2 Georgian top opening side windows  
Door drip




### SPECIFICATION

Sizes from: 1.83m x 1.83m (6' x 6')  
2.13m x 2.13m (7' x 7')  
2.44m x 2.44m (8' x 8')  
Eaves height 76" / 1942mm  
Ridge height 84" / 2146mm  
Double doors 1790mm x 1103mm  
Windows 1040mm x 717mm

Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap Cladding  
22mm floor boards  
Toughened glass  
50mm x 50mm framing  
Felt options  
Tanalised Timber



## Corner Summerhouse Leaded

### STANDARD FEATURES

Fully glazed double doors with leaded glass and antique hinges, ornate handle and lever lock

2 leaded glass top opening side windows

Door drip

### SPECIFICATION

Sizes from: 1.83m x 1.83m (6' x 6')

2.13m x 2.13m (7' x 7')

2.44m x 2.44m (8' x 8')

Eaves height 76" / 1942mm

Ridge height 84" / 2146mm

Double doors 1790mm x 1103mm

Windows 1040mm x 717mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm cladding

19mm Log Lap Cladding

22mm floor boards




Toughened glass

50mm x 50mm framing

Felt options

Tanalised Timber





#### COLOURED TILE OPTIONS



BLACK



RED




GREY



GREEN



## Hipped Roof Corner Summerhouse



Internal roof structure

#### STANDARD FEATURES

- 2 opening side windows
- Double doors
- Antique style ironmongery
- Overhang over the door
- Plain fascia board
- Felt tiled hipped roof
- Decorative corner covers
- Finial and plinth

#### SPECIFICATION




- Sizes from (1.83m x 1.83M) 6ft x 6ft
- Eaves height 2130mm / 86"
- Ridge height on 6ft 3010mm / 120" (top of finial)
- Ridge height on 7ft 3120mm / 125" (top of finial)

- Ridge height on 8ft 3230mm / 130" (top of finial)
- Double doors 1790mm x 1103mm
- Windows 1040mm x 1717mm
- Framing 50mm x 38mm
- Cladding 16mm x 125mm
- Flooring 16mm x 125

#### OPTIONS AVAILABLE

- 22mm Premier cladding
- 19mm Log lap cladding
- 22mm heavy duty floor
- 50mm x 50mm framing
- 75mm x 50mm framing
- Choice of coloured felt tiles

## summer houses



## Blenheim Corner



### STANDARD FEATURES

- Fully glazed Georgian double doors
- Antique hinges
- Ornate handle with lever lock
- 2 top hung side windows
- Door drip
- Includes 3' veranda with roof overhang
- Roof is boarded on the underside of veranda

### SPECIFICATION

- Sizes available from 9ft x 9ft to 11ft x 11ft including 3ft veranda
- Eaves height 76" / 1942
- Ridge height 95" / 2410
- Doors 1790mm x 1103mm

### OPTIONS AVAILABLE

- 22mm cladding
- 19mm Log Lap Cladding
- 22mm floor boards
- Toughened glass
- 50mm x 50mm framing
- Felt options
- Tanalised Timber

Option available without upright supports

COLOURED TILE  
OPTIONS



BLACK



RED



GREY



GREEN



## Pavilion

### STANDARD FEATURES

Georgian double doors, antique hinges, ornate handle and lever lock

2 Georgian top hung 12 pane, opening side windows

2 front fixed Georgian windows

The front roof canopy is 485mm wide and tiled in red, green, black or slate tiles. The roof is felted with green roofing felt.

Profiled fascia boards

### SPECIFICATION

Sizes from 2.44m x 1.83m (8x6) up to 3.05m x 2.44m (10x8)

Eaves height 77" / 1950mm

Ridge height 88" / 2170mm

Double doors 1790mm x 1103mm

Windows 1360mm x 718mm

Framing: up to 10' end 38mm x 50mm, 12' end and above 50mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm Heavy Duty floor

Toughened Glass

50mm x 50mm framing

Felt options

Tanalised Timber





## Pent Summerhouse

### STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock

2 Georgian fixed front windows

2 Georgian 9 pane opening side windows

Profiled fascias

Door drip

### SPECIFICATION

Sizes from: 1.52m x 2.44m (5' x 8') to 3.05m x 4.87m (10 x 16)

Eaves height 76" / 1937mm (back pent)

Ridge height 85" / 2153mm (front pent)

Double Doors 1790mm x 1103mm

Front windows 1010mm x 475mm

Side windows 1040mm x 717mm

Framing: up to 10' end 38mm x 50mm, 12' end and above 50mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm Premier cladding

19mm Log lap cladding

22mm Floor boards

50mm x 50mm framing

2'6" veranda with fully tiled canopy in a choice of red, slate, green or black tiles

Toughened Glass

Choice of Georgian, diamond lead, or square lead glazing

Tanalised Timber

COLOURED TILE  
OPTIONS



BLACK



RED



GREY



GREEN



## Dual Pent Summerhouse



### STANDARD FEATURES

Half glazed arch top double doors with antique hinges, ornate handle and lever lock  
2 Arch top fixed front windows  
2 Arch top opening side windows  
Integrated 4' storage room with side access by security door  
Galvanised bolted hinges & padbolt protector to side access door  
Profiled fascias

### SPECIFICATION

Sizes from: 1.83m x 2.44m (6' x 8') to 4.87m x 4.87m (16 x 16)  
Eaves height 76" / 1937mm  
Ridge height 85" / 2153mm  
Security door 1867mm x 908mm fully framed and braced in 50mm x 50mm framing  
Double Doors 1780mm x 1103mm

(10' & above)

1780mm x 1103mm (8')  
Front windows 445mm x 1010mm  
Side windows 1040mm x 717mm  
Framing: up to 10' end 38mm x 50mm, 12' end and above 50mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm Premier cladding  
19mm Log lap cladding  
22mm Floor boards  
2'6" veranda with fully tiled canopy in a choice of red, slate, green or black tiles  
Toughened Glass  
Choice of Georgian, diamond lead, or square lead glazing  
Tanalised Timber  
Felt Options



## Pent Summer House with Folding Doors

### STANDARD FEATURES

Bi folding doors with 8ft front  
and Tri folding doors with 10ft front  
Toughened glass  
Green mineral felt  
Profiled fascias  
Door Drip  
2 fixed side windows

### SPECIFICATION

Size from 1.52m x 2.44m (5ft x 8ft)  
to 3.05m x 4.87m (10ft x 16ft)  
Eaves height 1937mm / 76"  
(back pent)  
Ridge height 2153mm / 85"  
(front pent)  
Bi folding doors 2005mm x 2555mm

Tri folding doors 2555mm x 2555mm  
Framing 75mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm Premier Cladding  
19mm Log Lap Cladding  
22mm Heavy duty floor  
50mm x 50mm Framing  
2'6" Veranda with fully tiled  
canopy in a choice of red slate,  
green or black felt tiles  
Double glazed units  
Choice of Georgian, diamond or  
square leaded glazing  
Felt options  
Tanalised Timber





## Sunningdale

### STANDARD FEATURES

2 Fixed front windows  
4 Fixed side windows  
Double doors  
Toughened glass throughout  
Antique style ironmongery  
1ft (305mm) overhang on the  
pent roof  
Plain fascia board  
Standard mineral felt

### SPECIFICATION

Framing: up to 10' end 38mm x 50mm,  
12' end and above 50mm x 50mm  
Sizes from (2.44m x 1.83M) 8ft x 6ft  
Eaves height 1950mm / 77" (rear)  
Ridge height 2170mm / 88" (front)


Roof overhang ridge 2220mm / 90"  
Doors 1790mm x 1170mm  
Windows front 1647mm x 515mm  
Windows side 1647mm x 515mm  
Framing 50mm x 38mm  
Cladding 16mm x 125mm  
Flooring 16mm x 125mm

### OPTIONS AVAILABLE

22mm Premier cladding  
19mm Log lap cladding  
22mm Heavy duty floor  
50mm x 50mm framing  
75mm x 50mm framing  
Veranda  
Profiled fascia boards  
Tanalised Timber



## The Sunroom



### STANDARD FEATURES

- Diagonal bracing
- 2 Fixed front windows with 3" x 2" casements
- 4 Fixed side windows with 3" x 2" casements
- 2 opening windows in rear
- Double doors to accommodate double glazing as windows
- Toughened glass throughout
- Chrome ironmongery
- Decorative fascia board
- Door drips
- Window cills
- Heavy Duty Felt

### SPECIFICATION

Sizes from (3.18m x 2.44M)  
10ft 5" x 8ft

Eaves height 2030mm / 80" (rear)  
Ridge height 2220mm / 91" (front)  
Doors 1790mm x 1125mm  
Windows front 1740mm x 919mm  
Windows side 1740mm x 919mm  
Windows in rear 720mm x 405mm  
Framing 75mm x 50mm  
Cladding 22mm x 125mm  
Flooring 22mm x 125mm

### OPTIONS AVAILABLE

- 19mm Log lap cladding
- Canopy plus veranda
- Double glazed units
- Tanalised Timber
- Felt Options



## Octagonal Arbour



Internal roof structure

### STANDARD FEATURES

16mm x 125mm shiplap cladding  
50mm x 50mm angled  
and then planed framing  
1 internal seat  
Red mineral felt



### SPECIFICATION

Sizes available from 6ft x 6ft  
to 10ft x 10ft  
Eaves height on all sizes 2075mm/81"  
Ridge height 6ft – 2490mm/98"  
Ridge height 8ft – 2665mm /105"  
Ridge height 10ft – 2840mm /112"

### OPTIONS AVAILABLE

22mm Premier Cladding  
19mm Log lap Cladding  
22mm Heavy duty floor  
3 choices of lattice design  
Profiles fascia boards  
Felt options  
Tanalised Timber





#### COLOURED TILE OPTIONS



BLACK



RED



GREY



GREEN



## Octagonal 8 and 10

### STANDARD FEATURES

Half glazed joinery single door with antique hinges, ornate handle and lever lock

2 fully glazed top hung windows

2 fully glazed fixed windows

All side panels of the same size are fully interchangeable upon installation

Choice of tiled roof in red, slate, green or black

Door drip

Choice of georgian, diamond lead, or square lead glazing

### SPECIFICATION

Size: 8' x 8' / 2440mm x 2440mm

Eaves height 80" / 2035mm

Ridge height 99" / 2535mm

Door 1790mm x 762mm

Windows 1040mm x 717mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

### OCTAGONAL 10 SPECIFICATION

size: 10' x 10' / 3050mm x 3050mm

Eaves height 80" / 2035mm

Ridge height 99" / 2535mm

Double doors 1790mm x 1103mm

### OPTIONS AVAILABLE


22mm premier cladding

19mm Log Lap cladding

22mm Heavy duty floor

Toughened glass

Tanalised Timber



COLOURED TILE  
OPTIONS



BLACK



RED



GREY



GREEN



## Stretched Octagonal 8

### STANDARD FEATURES

Half glazed double doors with antique hinges, ornate handle and lever lock  
2 fully glazed top hung windows  
2 fully glazed fixed windows  
Choice of tiled roof in red, slate, green or black  
Door drip  
Choice of Georgian, diamond lead, or square lead glazing

### SPECIFICATION

size: 8' x 8'9" / 2440mm x 2667mm  
Eaves height 80" / 2035mm  
Ridge height 99" / 2535mm  
Door 1790mm x 1103mm  
Windows 1040mm x 717mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap cladding  
22mm floorboards  
Toughened glass  
Tanalised Timber

COLOURED TILE  
OPTIONS



BLACK



RED



GREY



GREEN



## The Sandringham

### STANDARD FEATURES

Georgian double doors to accommodate double glazing, antique hinges, ornate handle and lever lock  
2 Side 12 pane Georgian top hung opening windows to accommodate double glazing  
2 Front 12 pane Georgian fixed windows to accommodate double glazing  
The hipped roof comes with a choice of coloured felt tiles (not fitted)  
Heavy duty 3" x 2" framing throughout  
Toughened glass

### SPECIFICATION

Size 3.05m x 3.05 (10' x 10')

Eaves height 2160mm / 85"  
Ridge height 3416mm / 136"  
Double doors 1790mm x 1103mm  
Windows 1360mm 718mm  
Framing 75mm x 50mm  
Cladding 16m x 125mm

### OPTIONS AVAILABLE

22mm Premier cladding  
19mm Log lap cladding  
22mm Heavy duty floor  
Coloured felt tiles with choice of Red, Green, Slate and Black  
Double glazed units  
Door and window options, plain, leaded and folding  
Tanalised Timber





## Toddlers Retreat



### STANDARD FEATURES

Two side windows with acrylic  
Door window Square acrylic  
Profiled fascias  
Antique door handle and hinges with  
adjustable door catch

### SPECIFICATION

Size: 4' X 4' (1.2m x 1.2m)  
Eaves height 42<sup>1</sup>/<sub>4</sub>" (1074mm)  
Ridge height 54<sup>1</sup>/<sub>2</sub>" (1384mm)  
Door 1074mm x 596mm  
Side windows 457mm x 457mm  
Door window 305mm x 305mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm Premier cladding  
19mm Log lap  
Window Box  
2' veranda  
Felt options  
Tanalised Timber  
50mm x 50mm Framing



## My Little Den



### STANDARD FEATURES

Door with diamond window, antique hinges and handle with adjustable door catch

2 acrylic Georgian windows

Roof overhang 1' / 305mm

Profiled fascias

### SPECIFICATION

Sizes from: 1.22m x 1.83m (4' x 6') to 2.44m x 1.83m (8' x 6')

Eaves height 51" / 1318mm

Ridge height 73" / 1850mm

Door 1282mm x 596mm

Windows 457mm x 457mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm floorboards

Window box

2' veranda (with or without) please specify

Additional fixed side window

Felt options

Tanalised Timber

50mm x 50mm Framing



## Ladybird Cottage



### STANDARD FEATURES

Georgian joinery door with antique hinges and handle, with adjustable door catch

4 acrylic Georgian windows

Roof overhang 1' / 305mm

Profiled fascia boards

### SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to 2.74m x 2.13m (7' x 7')

Eaves height 49" / 1255mm

Ridge height 70" / 1790mm

Door 1180mm x 535mm

Windows 457mm x 457mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm floorboards

2' verandah (with or without)  
please specify

Felt options

Tanalised Timber

50mm x 50mm Framing





## Snowdrop Cottage



### STANDARD FEATURES

Antique hinges and handle with adjustable door catch  
4 acrylic Georgian windows  
Georgian joinery door with antique hinges and handle with adjustable door catch  
Chimney pot  
Hip roof  
Profiled fascia boards

### SPECIFICATION

Sizes: 1.83m x 1.22m (6' x 4') and 2.13m x 1.52m (7' x 5')  
Eaves height 51" / 1318mm  
Ridge height 4' - 63" / 1615mm


5' - 70" / 1790mm  
Door 1180mm x 535mm  
Windows 457mm x 457mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap cladding  
22mm floorboards  
Felt options  
Tanalised Timber  
50mm x 50mm Framing



## Mini Barn



Internal combined seat, bed and cupboard

### STANDARD FEATURES

- Garage style doors
- Windows in doors
- Internal cupboard
- Combined seat/bed
- Antique style ironmongery
- Anti-trap safety features
- Plain fascias
- Standard mineral felt

### SPECIFICATION

- Eaves height 1520mm / 60"
- Ridge height 2187mm / 87"
- Cupboard/bed height 580mm / 23"
- Windows 250mm x 250mm / 10" x 10"
- Double doors 1220mm x 1520mm / 48" x 60"

- Framing 38mm x 50mm
- Cladding 16mm x 125mm
- Floor and roof 16mm x 125mm

### OPTIONS AVAILABLE

- 22mm Premier cladding
- 19mm Log lap cladding
- 22mm 3/4" flooring
- 50mm x 50mm framing
- 75mm x 50mm framing
- Felt Options
- Felt tiled roof (4 colour options)
- Profiled fascia boards
- Additional windows
- Tanalised Timber
- Painted options available



## Escape



### STANDARD FEATURES

Full size door with 10" diamond window, antique hinges and handle  
Internal bunk bed with safety rail, ladder and hand rail (as pictured)  
1 Acrylic Georgian window  
1 Window box  
Profiled fascias

### SPECIFICATION

Size 2.44m x 1.83m (8' x 6')  
Eaves height 1964mm / 77"  
Ridge height 2436 / 96"  
Door 1765mm x 762mm  
Window 457mm x 457mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm Premier cladding  
19mm Log lap cladding  
22mm Floor boards  
Additional side windows  
Mirror image available  
Felt options  
Tanalised Timber





## Wilton Lodge



### STANDARD FEATURES

Door with diamond window, antique hinges and handle, with adjustable catch

3 acrylic Georgian windows with large window box

Roof overhang 1' / 305mm

Internal bunk bed with safety rail, ladder and hand rail (as pictured)

Profiled fascias

### SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to 2.74m x 2.13m (9' x 7')

Eaves height 56" / 1435mm to 70" / 1785mm

Ridge height 93" / 2350mm

Door 1410mm x 596mm

Windows 457mm x 457mm

Framing 38mm x 50mm

Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding

19mm Log Lap cladding

22mm floorboards

Side fixed windows

2' veranda (with or without) please specify

Mirror image available

Felt options

Tanalised Timber

50mm x 50mm Framing



## Candy Cabin



### STANDARD FEATURES

Stable door with diamond in the top  
Antique hinges and handle with adjustable closing catch  
2 acrylic Georgian windows  
1 window box  
Internal bunk bed with safety rail, ladder with hand rail (as pictured)  
Profiled fascias  
Roof overhang 1' / 305mm

### SPECIFICATION

sizes: 1.83m x 2.44m (6' x 8') and 2.44m x 2.44m (8' x 8')  
Eaves height 56" / 1435mm to 70" / 1785mm  
Ridge height 93" / 2360mm  
Stable door:

Top 678mm x 596mm  
Bottom 730mm x 596mm  
Windows 457mm x 457mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap cladding  
22mm floorboards  
Side fixed window  
Window box  
Mirror image available  
2' veranda (with or without) please specify  
Felt options  
Tanalised Timber  
50mm x 50mm Framing



## The Hideaway



### STANDARD FEATURES

Single and double garage doors with diamond windows, complete with antique hinges and handles  
2 acrylic Georgian windows  
2 window boxes  
Internal bunk bed with safety rail, ladder and hand rail (as pictured)  
Profiled fascias  
Roof overhang 1' / 305mm

### SPECIFICATION

sizes: 1.52m x 3.05m (5' x 10') and 1.83m x 3.05m (6' x 10')  
Eaves height 56" / 1435mm to 70" / 1785mm  
Ridge height 96" / 2430mm  
Single door 1410mm x 596mm

Double door 1042mm x 1158mm  
Windows 457mm x 457mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap cladding  
22mm floorboards  
Additional side windows  
Mirror image available  
Felt options  
Tanalised Timber  
50mm x 50mm Framing





## Charleys Castle CE



### STANDARD FEATURES

Door with antique hinges, handle and adjustable door catch  
Diamond window in door  
3 front acrylic Georgian windows  
1 side acrylic Georgian window  
Profiled fascias and veranda boards  
2'6" veranda with front returns  
Internal bunk bed with safety rail, ladder and hand rail (as pictured)

### SPECIFICATION

Sizes: 2.59m x 3.05m (8'6" x 10') and 3.2m x 3.05m (10'6" x 10') including 2'6" verandah

Eaves height 66" / 1680mm  
Ridge height 110" / 2810mm  
Return veranda's 1070mm  
Door 1410mm x 596mm  
Windows 457mm x 457mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap cladding  
22mm floorboards  
Side fixed window  
Felt options  
Tanalised Timber



## Kids Club House



### STANDARD FEATURES

Door with antique hinges and handle with adjustable door catch  
Diamond window in door  
4 acrylic Georgian windows  
Profiled fascias and veranda boards  
3' veranda with side returns  
Functional dormer window  
Internal bunk bed with safety rail, ladder and hand rail (as pictured)

### SPECIFICATION

Sizes:  
2.13m x 3.05m (7' x 10')  
2.44m x 3.05m (8' x 10')  
3.05m x 3.05m (10' x 10')  
Eaves height 66" / 1680mm  
Ridge height 110" / 2810mm

Door 1410mm x 596mm  
Windows 457mm x 457mm  
Framing 38mm x 50mm  
Cladding 16mm x 125mm

### OPTIONS AVAILABLE

22mm premier cladding  
19mm Log Lap cladding  
22mm floorboards  
Side fixed windows  
Felt options  
Tanalised Timber  
50mm x 50mm Framing



We have three centres, each offering easy access, free parking and a huge range of inspiring products in stock ready to take away today!

**WEST YORKSHIRE  
CENTRE**



Stocksmoor Road, Midgley,  
Wakefield, WF4 4JG

Tel: 01924 830055

Email: [sales@jobearnshaw.co.uk](mailto:sales@jobearnshaw.co.uk)

**Open all year round  
7 days a week!**

**SOUTH YORKSHIRE  
CENTRE**



Barrowfield Lane, Wentworth,  
Rotherham, S62 7TP

Tel: 01226 742206

Email: [wentworth@jobearnshaw.co.uk](mailto:wentworth@jobearnshaw.co.uk)

**Open all year round  
6 days a week!**

**NORTH LINCOLNSHIRE  
CENTRE**



Bridge Street, Brigg,  
North Lincolnshire, DN20 8NQ

Tel: 01652 653165

Email: [brigg@jobearnshaw.co.uk](mailto:brigg@jobearnshaw.co.uk)

**Open all year round  
6 days a week!**

March - September

Weekdays: 8:00am - 5:00pm

Saturday: 8:30am - 5:00pm

Sunday: 10:00am - 4:00pm

March - September

Weekdays: 8:00am - 5:00pm

Saturday: 8:30am - 5:00pm

Sunday: CLOSED

March - September

Weekdays: 8:00am - 5:00pm

Saturday: 8:30am - 5:00pm

Sunday: CLOSED

*Pick up or download a copy of  
Our Exciting New Cabin Collection today!*

[www.jobearnshaw.co.uk](http://www.jobearnshaw.co.uk)

**Follow us:**     

## Interbranch Transfers

You will normally find we have what you are looking for in stock at all three centres. However, from time to time less popular lines may only be in stock and in bulk at our Midgley Centre. We will happily transfer the stock you need for collection at your nearest centre – so please feel free to ask the staff on site. If you are looking for a very specific line or a large quantity please phone ahead to check that it's in stock.

Some timber products will develop checks which are splits across the grain; this is perfectly natural as the timber dries and will not reduce the strength of the timber. As timber is a natural product it has the potential to move with the atmospheric conditions and we cannot be held responsible for this movement. In the very rare occasion where there is a proven manufacturing defect, Earnshaws' liability shall in no circumstances exceed the price of the timber affected. Earnshaws shall not in any way be held responsible for any additional consequential costs or losses.

Prices correct at the time of going to press, but are subject to change without prior notice. All goods remain the property of the vendor until full payment has been received.

**SPRING  
2021**